

UNLEASH YOUR CREATIVITY ON CANON'S CREATIVE PARK WEBSITE

It's amazing what you can do when our paper combines with your creativity.

Canon's Creative Park offers free 3D paper craft projects, scrapbooking templates, personalised templates for greeting cards, education materials and much more!

Keep kids entertained whilst at home!

CARDS

- Pop up cards
- Greeting cards
- Envelopes
- Mini cards and more

ART

- Origami
- 3D paper mosaic
- Japanese fine arts
- Colouring and many more

CALENDARS

- Triangular and flat type
- Advent calendar
- Calendar stickers and many more

HOME & LIVING


- Wall decorations
- Hanging decorations
- Bags
- Fans and many more

PAPER CRAFT

- Animals
- Vehicles
- Architecture
- Educational and many more


SCRAPBOOKING

- Photo albums
- Scrap kits
- Photo frames
- 12 inch kits and many more



INDEX

SCANNERS	5
INKJET PRINTERS	6
LASER PRINTERS	18
INKS	21
SPECIALTY PAPERS	24
DIGITAL STILL CAMERAS	36
INSTANT CAMERAS	39
MIRRORLESS	41
DSLR	52
ACCESSORIES	55
SPEEDLITES	56
LENSES	57
DIGITAL VIDEO	60
BINOCULARS	62
CALCULATORS	64



VOTED AUSTRALIA'S MOST RELIABLE HOME PRINTER BRAND*



- A4 Flatbed CIS scanner
- 2400x2400 optical dpi
- 48 bit
- 9 sec preview
- 10 sec A4 (300dpi)
- 4 one-touch buttons incl PDF & email
- USB 2.0 Hi-Speed Mini-B interface for fast data transfer
- Advanced double hinge Z-Lid scanning of Documents up to 21mm thick
- PC and Mac support
- Software included to remove dust, scratches & noise
- OCR & PDF software
- Lightweight at 1.7kg




LIDE300

- A4 Flatbed CIS scanner
- 4800x4800 optical dpi
- 48 bit
- 7 sec preview
- 8 sec A4 (300dpi)
- 5 EZ buttons incl multi-page PDFs & email
- Scan bulky 21mm thick Documents with Z-Lid hinge
- Upright scanning and storage option
- Auto-Scan mode
- USB Type-C powered
- Software included to remove dust, scratches & noise
- OCR & PDF software
- Lightweight at 1.7kg



LIDE400

- A4 Portable document scanner
- Only 312.5x95x40mm and 600g
- Auto duplex scanning
- 600x600 dpi
- Up to 8ppm scanning (at 200dpi 24-bit Colour)
- USB powered
- Business card scanner
- Comes with file management & business card importing software
- Advanced image processing
- Capture on Touch enables scanning from other PCs
- Several one-touch tasks or scan directly to Evernote's cloud service



P208II

*Not available to all accounts

- A4 compact document scanner
- Auto duplex scanning
- 50p sheet feeder
- 600x600 dpi
- Up to 25ppm scanning (at 200dpi colour simplex)
- Can scan thick business or plastic cards
- Advanced image processing
- Skip blank page feature
- Batch separation
- Hi-speed USB 2.0 interface
- Capture on Touch enables several one-touch tasks or scan directly to Evernote's cloud service
- OCR
- PDF & file management software



DRC225 II

DRC-225W II – Wireless version available

*Not available to all accounts

- A4 compact document scanner
- Auto duplex scanning
- 50p sheet feeder
- 600x600 dpi
- Up to 45ppm scanning (at 200dpi colour simplex)
- Can scan extra long Documents up to 3m
- Can scan thick business or plastic cards
- Advanced image processing
- Capture on Touch enables several one-touch tasks or scan directly to Evernote's cloud service
- Also OCR
- PDF & file management software



DR-C240

*Not available to all accounts

INKJET PRINTERS

Our sleek and innovative PIXMA printers are designed to fit right into your home and your lifestyle, with more smart connection options than ever before. From single function printers to productive all-in-one printers.



- 4800x1200 dpi print
- 2pl droplet
- 2x cartridges
- Hybrid Ink System
- 7.7/4.0ipm (bw/col)
- 60 Sheet rear paper tray
- Prints 6x4" photos & square size 5x5" photos
- 1.5" LCD
- 600x1200 dpi scan
- Wi-Fi
- Mobile/Tablet Print
- Access point mode
- PIXMA Cloud Link
- Google Cloud print
- My Image Garden with Full HD movie Print
- Easy WebPrint EX
- Quiet mode
- Auto Power ON,
- White in colour

A4 PRINT, COPY, SCAN **TS3165**



Inks: **PG645 / CL646** (XL inks optional)

Exclusive to:
Harvey Norman

Print Assist

MG2460 A4 PRINT, COPY, SCAN



- 4800x600 dpi print
- 2pl droplet
- 2x cartridges
- Hybrid Ink System, 8.4/4.0ipm (bw/col)
- 60 Sheet rear paper tray
- Prints 6x4" photos
- 600x1200 dpi scan
- My Image Garden with Full HD Movie Print
- Easy WebPrint EX
- Fun Filters
- Auto Power ON

Print Assist

Inks: **PG645 / CL646** (XL inks optional)

Exclusive to:
Target

MG2560 A4 PRINT, COPY, SCAN



- 4800x600 dpi print
- 2pl droplet
- 2x cartridges
- Hybrid Ink System, 8.4/4.0ipm (bw/col)
- 60 Sheet rear paper tray
- Prints 6x4" photos
- 600x1200 dpi scan
- My Image Garden
- Full HD Movie Print
- Fun Filters
- Auto Power ON

Print Assist

Inks: **PG645 / CL646** (XL inks optional)

MG3660 A4 PRINT, COPY, SCAN



- 4800x1200 dpi print
- 2pl droplet
- 2x cartridges
- Hybrid Ink System, 9.9/5.7ipm (bw/col)
- 100 Sheet rear paper tray
- Auto Duplex Printing
- Prints 6x4" photos in 44 sec
- 1200x2400 dpi scan
- Wi-Fi
- Mobile/Tablet Print
- Access point mode
- Apple AirPrint
- PIXMA Cloud Link
- Google Cloud print
- My Image Garden
- Full HD Movie Print
- Quiet mode
- Auto Power ON

Print Assist

Inks: **PG640 / CL641** (XL inks optional), plus PG640XXL

TS3160 A4 PRINT, COPY, SCAN



- 4800x1200 dpi print
- 2pl droplet
- 2x cartridges
- Hybrid Ink System, 7.7/4.0ipm (bw/col)
- 60 Sheet rear paper tray
- Prints 6x4" photos & square size 5x5" photos
- 1.5" LCD
- 600x1200 dpi scan
- Wi-Fi
- Mobile/Tablet Print
- Access point mode
- PIXMA Cloud Link
- Google Cloud print
- My Image Garden with Full HD movie Print
- Easy WebPrint EX
- Quiet mode
- Auto Power ON

Print Assist

Inks: **PG645 / CL646** (XL inks optional)

- 4800x1200 dpi print
- 2pl droplet
- 2x cartridges
- Hybrid Ink System
- 7.7/4.0ipm (bw/col)
- 60 Sheet rear paper tray
- Prints 6x4" photos & square size 5x5" photos & 5x7" photos
- 1.5" LCD
- 600x1200 dpi scan
- Wi-Fi
- Mobile/Tablet Print
- Access point mode
- PIXMA Cloud Link
- Google Cloud print
- Apple AirPrint
- My Image Garden with Full HD movie Print
- Easy WebPrint EX
- Quiet mode
- Auto Power ON

A4 PRINT, COPY, SCAN **TS3360**



Inks: **PG645 / CL646** (XL inks optional)

Exclusive to:
Officeworks

Print Assist

- 4800x1200 dpi print
- 5 individual inks
- Hybrid Ink System, 12.6/9.0ipm (bw/col)
- 100 Sheet rear paper tray
- Prints 6x4" photos in 39 sec
- Prints square size 5x5" photos & card size 91x55mm
- SD card Slot
- 3.0" adjustable tilt LCD
- Document removal reminder
- 1200x2400 dpi scan
- Wi-Fi & NFC
- Mobile/Tablet Print
- Access point mode
- Apple AirPrint
- PIXMA Cloud Link
- Print from Instagram
- Google Cloud print
- My Image Garden
- Full HD Movie Print
- Quiet mode
- Auto Power ON

A4 PRINT, COPY, SCAN **TS5060**



Available in: **Black** **White**
Inks: **PGI670 BK / CLI671 C/M/Y/BK** (XL inks optional)

Exclusive to:
Officeworks

Print Assist

- 4800x1200 dpi print
- 2 x FINE cartridges
- 13.0/6.8ipm (bw/col)
- 100 Sheet front paper tray & 20 Sheet photo paper rear tray
- Dual paper feed
- Auto duplex
- Prints 6x4" photos in 43 sec
- Prints square size 5x5" photos
- 2.5" adjustable tilt LCD Document removal reminder
- 1200 x2400 dpi scan
- USB
- Wi-Fi & Bluetooth
- Mobile/Tablet Print
- Access point mode
- Apple AirPrint
- PIXMA Cloud Link
- Google Cloud print
- My Image Garden with Full HD Movie Print
- Quiet mode
- Auto Power ON

A4 PRINT, COPY, SCAN **TS5160**



Inks: **PG640 / CL641** (XL inks optional), plus PG640XXL

Print Assist

- 4800x1200 dpi print
- 2 x FINE cartridges 13.0/6.8ipm (bw/col)
- 100 Sheet front paper tray & 20 Sheet photo paper rear tray
- Dual paper feed
- Auto duplex
- Prints 6x4" photos in 36 sec
- 1.44" OLED display, QR Button, Wireless Connect
- Document removal reminder
- 1200 x 2400 dpi scan
- USB
- Wi-Fi & Bluetooth
- Mobile/Tablet Print
- Access point mode
- Apple AirPrint
- PIXMA Cloud Link
- Google Cloud print

A4 PRINT, COPY, SCAN **TS5360**



Inks: **PG-660, CL-661** (XL inks optional)

Exclusive to:
Officeworks

Print Assist

TS6360 A4 PRINT, COPY, SCAN



- 4800x1200 dpi print
- 5 individual inks
- 15.0/10.0ipm(bw/col)
- 100 Sheet front paper tray & 100 Sheet photo paper rear tray
- Dual paper feed
- Auto two-sided printing
- Prints 6x4" photos in 21 sec
- Prints square size 5x5" photos
- 35 in-built patterns
- 1.44" OLED display, wireless connect
- QR code setup
- Document removal reminder
- 1200x2400 dpi scan
- USB
- Wi-Fi & Bluetooth
- Mobile/Tablet Print
- Access point mode
- Apple AirPrint
- PIXMA Cloud Link
- Google Cloud print



Inks: PG1680 BK/CL681 C/M/Y/BK/PB (XL, XXL inks optional)

TS6365 A4 PRINT, COPY, SCAN



- 4800x1200 dpi print
- 5 individual inks
- 15.0/10.0ipm(bw/col)
- 100 Sheet front paper tray & 100 Sheet photo paper rear tray
- Dual paper feed
- Auto two-sided printing
- Prints 6x4" photos in 21 sec
- Prints square size 5x5" photos
- 35 in-built patterns
- 1.44" OLED display, wireless connect, QR button
- Document removal reminder
- 1200x2400 dpi scan
- USB
- Wi-Fi & Bluetooth
- Mobile/Tablet Print
- Access point mode
- Apple AirPrint
- PIXMA Cloud Link
- Google Cloud print



Inks: PG1680 BK/CL681 C/M/Y/BK/PB (XL, XXL inks optional)

TS8360BK A4 PRINT, COPY, SCAN



- 4800x1200 dpi print
- 6 individual inks
- Hybrid Ink System, 15.0/10.0ipm(bw/col)
- Auto Duplex Printing
- Prints 6x4"/10x15" photos in 17 sec/ 21 sec
- SD card slot
- Printable Nail Sticker Print
- 45 built in patterns
- 4.3"adjustable tilt touch LCD
- 2400x4800 dpi scan
- Wi-Fi & Bluetooth
- Mobile/Tablet Print
- Access point mode
- Apple AirPrint
- PIXMA Cloud Link
- Print from Instagram, Dropbox, Facebook and Google Drive
- Pictbridge compatible



Inks: PG1680 BK/CL681 C/M/Y/BK/PB (XL, XXL inks optional)



- 4800x1200 dpi print
- 6 individual inks
- Hybrid Ink System, 15.0/10.0ipm(bw/col)
- Auto Duplex Printing
- Prints 6x4"/10x15" photos in 17 sec/ 21 sec
- SD card slot
- Printable Nail Sticker Print
- 45 built in patterns
- 4.3"adjustable tilt touch LCD
- 2400x4800 dpi scan
- Wi-Fi & Bluetooth
- Mobile/Tablet Print
- Access point mode
- Apple AirPrint
- PIXMA Cloud Link
- Print from Instagram, Dropbox, Facebook and Google Drive
- Pictbridge compatible

Available in: ● Black ○ White
Inks: PG1680 BK/CL681 C/M/Y/BK/PB (XL, XXL inks optional)



A4 PRINT, COPY, SCAN TS8360W



- 4800x1200 dpi print
- 6 individual inks
- H15.0/10.0ipm(bw/col)
- 100 Sheet rear paper tray & 100 Sheet cassette
- Auto Duplex Printing
- Prints 6x4" photos in 17 sec
- Prints square size 5x5" photos & card size 91x55mm
- SD card Slot
- CD/DVD print
- 5.0" Adjustable touch LCD
- Document removal reminder
- Creative Filters
- 2400x4800 dpi scan
- Wi-Fi & Bluetooth
- Mobile/Tablet Print
- Access point mode
- Apple AirPrint
- PIXMA Cloud Link
- Print from Instagram
- Pictbridge compatible
- Google Cloud print
- My Image Garden with Full HD Movie Print
- Easy WebPrint EX
- Quiet mode
- Auto Power ON

Available in: ● Grey & ● Red
Inks: PG1680 BK/CL681 C/M/Y/BK/PB (XL, XXL inks optional)



A4 PRINT, COPY, SCAN TS9160



- 4800x1200 dpi print
- 5 individual inks
- 15.0/10.0ipm(bw/col)
- Print up to A3 size
- 100 Sheet rear paper tray & 100 Sheet cassette
- Auto Duplex Printing
- Dual Paper Feeder
- Print: photos, square, two-page book spreads and pamphlets, nail stickers, restickable paper, magnetic paper
- 45 in-built patterns
- SD card Slot
- 5.0"adjustable tilt touch LCD
- Document removal reminder
- 1200x2400 dpi scan
- Wi-Fi
- Mobile/Tablet Print
- Access point mode
- Apple AirPrint
- PIXMA Cloud Link
- Print from Instagram
- Pictbridge compatible
- Google Cloud print
- Creative Filters
- My Image Garden, Full HD Movie Print
- Quiet mode
- Auto Power ON

Available in: ● Black
Inks: PG1680 BK/CL681 C/M/Y/BK/PB (XL, XXL inks optional)



A3 CRAFT PRINTER TS9560 (BLK)



PIXMA HOME TS9565VB A3 CRAFT PRINTER

- 4800x1200 dpi print
- 5 individual inks
- 15.0/10.0ipm(bw/col)
- Print up to A3 size
- 100 Sheet rear paper tray & 100 Sheet cassette
- Auto Duplex Printing
- Dual Paper Feeder
- 45 in-built patterns
- SD card Slot
- 5.0"adjustable tilt touch LCD
- Print: photos, square, two-page book spreads and pamphlets, nail stickers, restickable paper, magnetic paper
- Document removal reminder
- 1200x2400 dpi scan
- Wi-Fi
- Mobile/Tablet Print
- Access point mode
- Apple AirPrint
- PIXMA Cloud Link
- Print from Instagram
- Pictbridge compatible
- Google Cloud print
- Creative Filters
- My Image Garden, Full HD Movie Print
- Quiet mode
- Auto Power ON
- Includes 2 fill sets of standard ink and creative paper



Magnetic Photo Paper



Creative Paper



2 full sets of standard ink



Available in: ● White | Inks: PG1680 BK/CL681 C/M/Y/BK/PB (XL, XXL inks optional)

PIXMA PROFESSIONAL PRINTERS

We know that quality is important. You need your printers to deliver accurate and reliable colour and detail with minimum fuss. That's why we've crafted our printers to be easy to use a possible



PRO-200 A3+ PRINTER



- 4800x2400 print
- 8-colour Dye Ink
- OIG System
- 100p A4, 50p A3 paper capacity
- Wi-Fi & Ethernet
- Mobile print
- PictBridge
- Direct RAW print
- 3 way paper feed
- Straight paper path
- CD/DVD print
- Panorama paper size compatible
- Compatible with Fine-Art paper
- PIXMA Cloud Link from smartphone or tablet

Inks: CL165BK / GY/LGY/C/M/Y/PC/PM

IMAGEPROGRAF PRO-300 A3+ PRINTER



- 4800x2400 print
- 10-colour LUCIA PRO Ink
- OIG System
- 100p A4, 50p A3 paper capacity
- Wi-Fi & Ethernet
- Mobile print
- PictBridge
- Direct RAW print
- 3 way paper feed
- Straight paper path
- CD/DVD and Printable Nail Sticker print
- Panorama paper size compatible
- Compatible with Fine-Art paper
- PIXMA Cloud Link from smartphone or tablet

Inks: PFI-300 MBK, M, PM, C, PC, Y, GY, R, PBK, CO

PRO-1000 A2 PRINTER



- 2400x1200 print
- 4pl droplet
- Unique 12 ink LUCIA Pro pigment based system
- Large 80ml ink tanks
- 1.28" print head with 18,432 nozzles
- No colour swapping needed
- 150p A4 paper capacity
- Direct RAW print
- 2 way paper feed
- Straight paper path
- Print Studio Pro plug-in software
- Apple AirPrint, Wi-Fi & Ethernet
- Mobile/Tablet Print
- Up to 400gsm weight paper

Inks: PFI-1000 MBK/PBK/C/M/Y/PC/PM/GY/R/B/CO

PIXMA HOME OFFICE

These printers are ideal for your home office or business. Capable of high volume document printing with WIFI connectivity.



- 4800x1200 dpi print
- 2x cartridges
- 8.8/4.4ipm(bw/col)
- 100 Sheet paper tray
- 20 Sheet ADF
- Prints 6x4" photos in 65 sec
- Auto on and off mode
- Super G3 Fax
- 50 page fax memory
- Clever ID copying (print both sides of the card on one sheet)
- Wi-Fi
- Mobile/Tablet Print & scan
- Access point mode
- Apple AirPrint
- PIXMA Cloud Link, Google Cloud print
- My Image Garden
- Full HD Movie Print
- Quiet mode

A4 PRINT, COPY, SCAN, FAX **TR4560**



Inks: PG645 / CL646 (XL Optional)

Exclusive to:
Officeworks

PrintAssist

- 4800x1200 (dpi) print
- 5 individual inks
- 15/10ipm(bw/col)
- 100 Sheet front cassette & 100 Sheet rear tray
- Auto Duplex Printing
- 20 Sheet ADF
- Prints 6x4" photos in 37 sec
- Prints square size 5"x5" photos
- Prints square size 5"x5" photos
- 3.0" adjustable tilt LCD touchscreen
- 1200x2400 dpi scan
- Super G3 Fax
- 250 page fax memory
- Ethernet
- Wi-Fi & Bluetooth
- QR code direct connection
- Apple AirPrint
- PIXMA Cloud Link
- Pictbridge compatible
- Quiet mode

TR7660



Inks: PGI680BK / CL681 C/M/Y/BK (XL and XXL inks optional)

Exclusive to:
Officeworks

- 4800 x 1200 (dpi) print
- 5 individual inks
- 15/10ipm(bw/col)
- 100 Sheet front cassette & 100 Sheet rear tray
- Auto Duplex Printing
- 20 Sheet ADF
- Prints 6x4" photos in 37 sec
- Prints square size 5"x5" photos
- SD card Slot
- 4.3" adjustable tilt LCD touchscreen
- 1200x2400 dpi scan
- Super G3 Fax
- 250 page fax memory
- Ethernet
- Wi-Fi & Bluetooth
- QR code direct connection
- Apple AirPrint
- PIXMA Cloud Link
- Pictbridge compatible
- Quiet mode

TR8660



Inks: PGI680BK / CL681 C/M/Y/BK (XL and XXL inks optional)

- 9600x2400 print
- 1pl droplet
- 5 individual inks
- 14.5/10.4 ipm* (bw/col)
- 150 sheet paper capacity
- 6x4" photo in 36 sec
- A3+ borderless printing
- Ethernet and Wi-Fi
- Mobile/Tablet printing
- Apple AirPrint
- Google Cloud Print
- My Image Garden
- Full HD Movie Print
- Easy WebPrint EX
- Fun Filters
- Creative Park Premium access
- Quiet mode
- Auto power ON

A3+ PRINTER **iX6860**



Inks: PGI650BK/XL, PGI655BKXXL, CL1651BK/XL, C/XL, M/XL, Y/XL

PrintAssist

PORTABLE PRINTERS

Small portable printers for you to print photos or documents, anywhere at anytime.



iP8760 A3+ PHOTO PRINTER STUDENT AND ENTHUSIAST



- 9600x2400 print
- 1pl droplet
- 6 individual inks
- 14.5/10.4 ipm (bw/col)
- 150 Sheet paper capacity
- 6x4" photo in 36 sec
- A3+ borderless printing
- CD/DVD printing
- Wi-Fi Mobile/ Tablet printing
- Apple AirPrint
- Google Cloud Print
- My Image Garden Full HD Movie Print
- Easy WebPrint EX
- Fun Filters
- Creative Park Premium access
- Quiet mode
- Auto power ON

Print Assist

Inks: PGI650BK / CLI651 C/M/Y/BK/GY (XL inks optional)

TR150 PORTABLE A4 PRINTER



- 4800x1200 print
- 2 x cartridges
- 9.0/5.5 ipm (bw/col)
- 50 Sheet paper capacity
- 6x4" photo in 53 sec
- Wi-Fi direct
- Mobile/Tablet Print
- Apple AirPrint
- PIXMA Cloud Link
- Google Cloud print
- Quiet mode
- Rechargeable battery included
- Size: 322x185x66mm
- Approx. 2.1kg
- Built-in template prints

Print Assist

Inks: PGI35BK/CLI36C

CP1300 COMPACT DYE-SUB PHOTO PRINTER



- Selphy 300dpi dye-sublimation printer
- 3 colour inks with overcoating
- Wi-Fi
- Mobile/Tablet/ Camera 2"x Print
- Apple AirPrint
- 6x4" photo in 47 sec
- Wireless or wired Pictbridge
- SD card reader
- USB Flash drive
- Tilt 3.2" high-res LCD
- Portrait Image Optimise
- ID Photo Print
- Party Shuffle Print
- 100 years print
- Optional battery & charger (NB-CP2LH & CG-CP 200)

Print Assist

Ink & Paper: RP108, RP54 (postcard 4x6), KC18IS (5x5cm), KC36IP (86x54mm), KL36IP (119x89mm)

Mini Photo Printer

ZINK TECHNOLOGY: ZERO INK NEEDED



- 314 x 400 dpi
- Speed: 50 seconds or less
- Rechargeable lithium battery
- Paper size: 2 x 3" Peel and stick smudge free and water resistant paper
- Print via Bluetooth from your smartphone or tablet
- Mini Print App features a creative suite of frames, emojis, filters, text and stickers
- Tile feature
- Pull pictures from your gallery or Facebook/ Instagram
- Google Drive and Dropbox to print instantly

Print Assist

Available in: Rose Gold Mint Green Slate Gray
ZINK paper: 50 and 20 packs

SELPHY SQUARE

Compact, high quality and stickable square photo printer for all images.

- Dye-Sublimation printing
- Stickable Prints
- Compact design
- Great gifting idea
- Wi-Fi (iOS and Android)
- Mobile/tablet
- Approx. 43 sec printing
- SELPHY Photo Layout 2.0 editing app
- 72 x 85mm paper size
- 65 x 65mm default and 68 x 68mm printing size
- 287 x 287 dpi print resolution
- Built-in battery
- USB charging
- 102.2 x 143.3 x 31.0mm unit size
- 445g unit weight
- 120min charging time
- 100 years print overcoat
- Available in:
 - Black QX10BK,
 - White QX10WH,
 - Pink QX10PK and
 - Green QX10GR
- Paper and Ink pack is XS-20L



MAXIFY PRINTERS

A versatile printer, scanner, copier and fax designed for home offices that need great mono and colour print quality



BUSINESS INKJET PRINTER

High-speed and low-maintenance A3 Multifunction Printers for demanding Small/Medium sized businesses.

FAST, COMPACT AND EASY TO MAINTAIN

OUTSTANDING PERFORMANCE

Discover how speed, quality and comfort come together for visionary performance. Designed to deliver A3 prints, this highly versatile series can cope with every small business demands.

LOW MAINTENANCE

Few replaceable parts and smooth paper feeding for maximum uptime and lower maintenance costs. Even the ink cartridges and maintenance cartridge are easy to access using the front panel



Office MAXIFY

MB2160 A4 PRINT, COPY, SCAN, FAX



- 600x1200 dpi
- 5 pl droplet (C/M/Y) 11pl (BK)
- 4 individual inks
- Water resistant prints
- 19/13ipm (bw/col)
- First page out time in 6 seconds (black and white prints)
- 250 sheet capacity
- Auto Duplex Printing
- 50 sheet ADF
- 3.0" touch LCD
- Easy ID scan
- 1200x1200 dpi scanning
- Super G3 Fax
- 250 page fax memory
- Wi-Fi
- Mobile/Tablet Print & scan
- Access point mode
- Apple Air Print
- Google Cloud print
- Easy WebPrint EX
- Auto power ON



Inks: PGI1600 BK/C/M/Y – all also in XL (up to 1200 pages – BK XL)



Office MAXIFY

MB2760 A4 PRINT, COPY, SCAN, FAX



- 600x1200 dpi
- 5 pl droplet (C/M/Y) 11pl (BK)
- 4 individual inks
- Water resistant prints
- 19/13ipm (bw/col)
- First print out in 6 seconds (black and white prints)
- 500 sheet capacity
- Auto Duplex Printing
- 50 sheet ADF
- 3.0" touch LCD
- Easy ID scan
- 1200x1200 dpi scanning
- Super G3 Fax
- 250 page fax memory
- Wi-Fi
- Mobile/Tablet Print & scan
- Access point mode
- Apple AirPrint
- MAXIFY Cloud Link
- Google Cloud print
- Easy WebPrint EX
- Auto power ON



Inks: PGI1600 BK/C/M/Y – all also in XL (up to 1200 pages – BK XL)

Office MAXIFY

MB5160 A4 PRINT, COPY, SCAN, FAX



- 600x1200 dpi
- 5 pl droplet (C/M/Y) 11pl (BK)
- 4 individual inks
- Water resistant prints
- 24/15.5ipm (bw/col)
- First print out in 6 seconds (black and white prints)
- 250 sheet capacity
- Auto Duplex Printing
- 50 sheet single pass duplex ADF
- 3.5" touch LCD
- Easy ID scan
- 1200x1200 dpi scanning
- Super G3 Fax
- 250 page fax memory
- Mobile/Tablet Print & scan
- Wi-Fi
- Access point mode
- Apple AirPrint
- MAXIFY Cloud Link
- Google Cloud print
- Easy WebPrint EX
- Auto power ON



Inks: PGI2600 BK/C/M/Y – all also in XL (up to 2500 pages – BK XL)



Office MAXIFY

MB5460 A4 PRINT, COPY, SCAN, FAX



- 600x1200 dpi
- 5 pl droplet (C/M/Y) 11pl (BK)
- 4 individual inks
- Water resistant prints
- 24/15.5ipm (bw/col)
- First print out in 6 seconds (black and white prints)
- 500 sheet capacity
- Auto Duplex Printing
- 50 sheet single pass duplex ADF
- 3.5" touch LCD
- Easy ID scan
- 1200x1200 dpi scanning
- Super G3 Fax
- 250 page fax memory
- Mobile/Tablet Print & scan
- Access point mode
- Apple AirPrint
- MAXIFY Cloud Link
- Google Cloud print
- Easy WebPrint EX
- Auto power ON



Inks: PGI2600 BK/C/M/Y – all also in XL (up to 2500 pages – BK XL)

- 1200DPI
- 4-colour pigment
- Up to 50ppm in standard and 80ppm in high speed mode
- 5 inch colour LCD touch screen
- Wireless and Wired LAN
- Print direct from USB
- Simultaneous Duplex scanning ADF
- Scan 40ppm one sided or 65ppm double sided
- Automatic paper detection
- Runs at a low cost per print; reducing energy consumption
- Auto sleep/off
- Holds up to 2,250 sheets of paper
- Energy Star, Blue Angel, Eco Mark, EPEAT rating

Inks: PGI-7600 BK/C/M/Y – STD and XL (up to 6600 A4 Pages – STD, up to 10500 A4 pages – XL)



A3 PRINT, COPY, SCAN WG7650



Business

- Send and receive fax
- 1200DPI
- 4-colour pigment
- Up to 50ppm in standard and 80ppm in high speed mode
- 5 inch colour LCD touch screen
- Wireless and Wired LAN
- Print direct from USB
- Simultaneous Duplex scanning ADF
- Scan 40ppm one sided or 65ppm double sided
- Automatic paper detection
- Runs at a low cost per print; reducing energy consumption
- Auto sleep/off
- Holds up to 2,250 sheets of paper
- Energy Star, Blue Angel, Eco Mark, EPEAT rating

Inks: PGI-7600 BK/C/M/Y – STD and XL (up to 6600 A4 Pages – STD, up to 10500 A4 pages – XL)



A3 PRINT, COPY, SCAN, FAX WG7650FM



Business

- Shift Sorter functions for large volume jobs
- NFC
- Send and receive fax
- 1200DPI
- 4-colour pigment
- Up to 50ppm in standard and 80ppm in high speed mode
- 5 inch colour LCD touch screen
- Wireless and Wired LAN
- Print direct from USB
- Simultaneous Duplex scanning ADF
- Scan 40ppm one sided or 65ppm double sided
- Automatic paper detection
- Runs at a low cost per print; reducing energy consumption
- Auto sleep/off
- Holds up to 2,250 sheets of paper
- Energy Star, Blue Angel, Eco Mark, EPEAT rating

Inks: PGI-7600 BK/C/M/Y – STD and XL (up to 6600 A4 Pages – STD, up to 10500 A4 pages – XL)



A3 PRINT, COPY, SCAN, FAX WG7650Z



Business

PIXMA ENDURANCE

The PIXMA ENDURANCE printers have refill ink tanks that print up to 6,000 pages in black or 7,700 pages in colour with one set of ink.



G3600 A4 PRINT, COPY, SCAN Via PC interface



- 4800 x 1200 dpi
- 2pl droplet
- 4 individual inks
- Visual ink level detection
- 8.8/5.0ipm (bw/col)
- 100 sheet rear paper tray
- 6x4" photos in 60 sec
- 600 x 1200 dpi scanning via PC Interface
- Wi-Fi
- Mobile/Tablet Print & scan
- Access point mode
- Apple AirPrint
- PIXMA Cloud Link
- Google Cloud print
- Easy WebPrint EX
- Auto power ON

PrintAssist

Continuous Ink Supply System
Inks: **GI690 BK/C/M/Y** (up to 6000 A4 pages – BK, up to 7000 A4 pages – Colour)

Exclusive to:
Harvey Norman

G3610 A4 PRINT, COPY, SCAN Via PC interface



- 4800 x 1200 dpi
- 2pl droplet
- 4 individual ink tanks and 4 ink bottles
- Visual ink level detection
- 8.8/5.0ipm (bw/col)
- 100 sheet rear
- 6x4" borderless photos in 60 sec
- 600 x 1200 dpi scanning via PC Interface
- Wi-Fi
- Mobile/Tablet Print & scan
- Access point mode
- PIXMA Cloud Link
- Google Cloud print
- Easy WebPrint EX
- Auto power ON
- 1.2 inch LCD screen
- Compatible with Windows operating system only

PrintAssist

Continuous Ink Supply System
Inks: **GI690 BK/C/M/Y** (up to 6000 A4 pages – BK, up to 7000 A4 pages – Colour)

Exclusive to:
Officeworks

G4600 A4 PRINT, COPY, SCAN



- FAX 4800 x 1200 dpi
- 2pl droplet 4 individual inks
- Visual ink level detection
- 8.8/5.0ipm (bw/col)
- 100 sheet rear paper tray 2 Line LCD
- 6x4" photos in 21 sec
- 600 x 1200 dpi scanning via PC Interface
- Super G3 Fax
- 50 pages fax memory
- Wi-Fi
- Mobile/Tablet Print & scan
- Access point mode
- Apple AirPrint
- PIXMA Cloud Link, Google Cloud print
- Easy WebPrint EX
- Auto power ON

PrintAssist

Continuous Ink Supply System
Inks: **GI690 BK/C/M/Y** (up to 6000 A4 pages – BK, up to 7000 A4 pages – Colour)

Exclusive to:
Officeworks

G4610 A4 PRINT, COPY, SCAN



- FAX 4800 x 1200 dpi
- 2pl droplet 4 individual inks
- Visual ink level detection
- 8.8/5.0ipm (bw/col)
- 100 sheet rear paper tray
- 2 Line LCD
- 6x4" photos in 60sec
- 600 x 1200 dpi scanning
- Scan A4 Colour/300 dpi in 19 sec
- Super G3 Fax
- Quiet mode
- 2 line LCD screen
- Wi-Fi
- Mobile/Tablet Print & scan
- Access point mode
- Apple AirPrint
- PIXMA Cloud Link, Google Cloud print
- Easy WebPrint EX
- Auto power ON/OFF

PrintAssist

Continuous Ink Supply System
Inks: **GI690 BK/C/M/Y** (up to 6000 A4 pages – BK, up to 7000 A4 pages – Colour)

Exclusive to:
Harvey Norman

- Print up to 7,700 colour and 6,000 BW A4 pages with one set of ink
- Fuss-free bottles to refill the ink tanks
- 2pl droplet 4 individual inks
- Visual ink level detection
- 13/6.8ipm (bw/col)
- 100 sheet rear paper tray
- 350 cassette paper tray 2 Line LCD with tiltable front panel
- 6x4" photos in 37sec
- 1200 x 2400 dpi scanning
- Scan A4 Colour/300 dpi in 3.5ms/line
- Quiet mode
- Wi-Fi
- Mobile/Tablet Print & scan
- PIXMA Cloud Link, Google Cloud print
- Cloud Apps: facebook, Dropbox, Google Drive, Instagram, Slide Share
- Auto power ON/OFF

A4 PRINT, COPY, SCAN G6060



Inks: **GI60C BK/C/M/Y** (up to 6000 A4 pages – BK, up to 7700 A4 pages – Colour)

Exclusive to:
Officeworks

PrintAssist

- Comes with two additional black ink bottles
- Print up to 7,700 colour and 6,000 BW A4 pages with one set of ink
- Fuss-free bottles to refill the ink tanks
- 2pl droplet 4 individual inks
- Visual ink level detection
- 13/6.8ipm (bw/col)
- 100 sheet rear paper tray
- 350 cassette paper tray
- 2 Line LCD with tiltable front panel
- 6x4" photos in 37sec
- 1200 x 2400 dpi scanning
- Scan A4 Colour/300 dpi in 3.5ms/line
- Mobile/Tablet Print & scan
- Wi-Fi
- PIXMA Cloud Link, Google Cloud print
- Cloud Apps: facebook, Dropbox, Google Drive, Instagram, Slide Share
- Auto power ON/OFF

A4 PRINT, COPY, SCAN G6065



Continuous Ink Supply System
Inks: **GI60C BK/C/M/Y** (up to 6000 A4 pages – BK, up to 7700 A4 pages – Colour)

PrintAssist

- Comes with two additional black ink bottles
- Print up to 7,700 colour and 6,000 BW A4 pages with one set of ink
- Fuss-free bottles to refill the ink tanks
- 2pl droplet 4 individual inks
- Visual ink level detection
- 13/6.8ipm (bw/col)
- 80 sheet rear paper tray
- 250 cassette paper tray
- 2 Line LCD with tiltable front panel
- 6x4" photos in 45sec
- 1200 x 2400 dpi scanning
- Scan A4 Colour/300 dpi in 3.5ms/line
- Mobile/Tablet Print & scan
- Wi-Fi
- PIXMA Cloud Link, Google Cloud print
- Cloud Apps: facebook, Dropbox, Google Drive, Instagram, Slide Share
- Auto power ON/OFF
- Black in colour
- Continuous Ink Supply System

A4 PRINT, COPY, SCAN, FAX G7060



Inks: **GI60C BK/C/M/Y** (up to 6000 A4 pages – BK, up to 7700 A4 pages – Colour)

Exclusive to:
Harvey Norman

PrintAssist

- Comes with two additional black ink bottles
- Print up to 7,700 colour and 6,000 BW A4 pages with one set of ink
- Fuss-free bottles to refill the ink tanks
- 2pl droplet 4 individual inks
- Visual ink level detection
- 13/6.8ipm (bw/col)
- 80 sheet rear paper tray
- 250 cassette paper tray
- 2 Line LCD with tiltable front panel
- 6x4" photos in 45sec
- 1200 x 2400 dpi scanning
- Scan A4 Colour/300 dpi in 3.5ms/line
- Mobile/Tablet Print & scan
- Wi-Fi
- PIXMA Cloud Link, Google Cloud print
- Cloud Apps: facebook, Dropbox, Google Drive, Instagram, Slide Share
- Auto power ON/OFF
- White in colour
- Continuous Ink Supply System

A4 PRINT, COPY, SCAN, FAX G7065



Inks: **GI60C BK/C/M/Y** (up to 6000 A4 pages – BK, up to 7700 A4 pages – Colour)

PrintAssist

LASER PRINTERS

Maximise productivity with Canon's laser printers. Choose from compact and low maintenance models for the home or small office, or take advantage of ultra fast, high volume laser printers for busy medium to large offices.

LBP223DW A4 MONO LASER PRINTER



- 600x600dpi print
- 2400x600 via AIR
- 33ppm
- Auto duplex
- UFR II, PCL & PostScript
- Integrated network
- Wireless
- Instant warm-up
- 250 sheet paper cassette
- 50p MP tray
- Optional 2nd cassette 500p
- 1GB
- Low power consumption
- Direct print from USB
- All-in-one cartridge

INK: CART057 (3,100) or CART057H (10,000)

SF MONO

LBP228X A4 MONO LASER PRINTER



- 600x600dpi print
- 1200x1200 via AIR
- 38ppm
- Integrated gigabit network
- PCL5e/6, UFR II, PostScript
- 250 sheet paper cassette
- Optional 2nd cassette 500p
- 50p MP tray
- Direct print from USB
- 1GB
- Low power consumption
- All-in-one cartridge
- 3.5" colour Touch screen

INK: CART057 (3,100) or CART057H (10,000)

SF MONO

LBP351X A4 MONO LASER PRINTER



- 600X600dpi print
- 2400x600 via AIR
- 55ppm
- Auto duplex
- MEAP
- Integrated network
- PCL5e/6, UFR II, PostScript
- Instant warm-up
- 550 sheet paper cassette
- 100p MP Tray
- Optional 500p 2nd cassette
- Low power consumption

INK: CART039 (11,000p) or CART039II (25,000p)

SF MONO

LBP654Cx A4 COLOUR LASER PRINTER



- 600x600dpi print
- 9600x600 via AIR
- 27ppm/27ppm (b&w/colour)
- MEAP
- Integrated gigabit network
- PCL5e/6, UFR II, PostScript
- 250 sheet paper cassette
- Optional 2nd cassette 250p
- 50p MP tray
- Direct print from USB
- 1GB
- Low power consumption
- All-in-one cartridges

INK: CART046BK (2,200) / CART046C/M/Y (2,300)
CART046BKII (6,200) CART046CH/MH/YH (5,000)

SF COLOUR

LBP712CX A4 COLOUR LASER PRINTER



- 600X600dpi print
- 9600x600 via AIR
- 38/38ppm (b&w/colour)
- Auto duplex
- MEAP
- Integrated network
- PCL5e/6, UFR II, PostScript
- Instant warm-up
- 550 sheet paper cassette
- 100p MP Tray
- Optional 550p 2nd cassette
- Low power consumption
- All-in-one cartridges

INK: CART040BK (6,300p) / CART040C/M/Y (5,400p)
CART040BKII (12,500p) / CART040CII/MH/YH (10,000p)

SF COLOUR

- 1200x1200dpi print
- 9600x600 via AIR
- 31ppm
- Auto duplex
- Integrated network
- Instant warm-up
- 250 sheet paper cassette
- 100p MP tray
- Optional 3x 500p cassettes
- 512MB
- Low power consumption
- All-in-one cartridges
- PCL and UFR II

INK: CART335BK (7,000p) / CART335C/M/Y (7,400p)
CART335BKII (13,000p) / CART335CII/MH/YH (16,500p)

A3 SF COLOUR

A3 COLOUR LASER PRINTER LBP843CX



- 2,400 (eq.) x 600 dpi; 1,200 (eq.) x 1,200 dpi (eq.) with image refinement technology
- 38ppm
- Integrated wireless N & ethernet
- Duplex print
- 50p duplex ADF
- Quick start up
- Tilt panel
- WVGA Colour LCD 5.0" Touch screen Display
- 250 sheet paper cassette
- Low power consumption
- All-in-one cartridge
- Apple AirPrint/Google cloud print
- LDAP search functionality
- 1GB
- Wi-Fi direct

CART057 (3,100) or CART057H (10,000)

MF MONO

A4 MONO FAX, PRINT, COPY, SCAN MF445DW



- 2,400 (eq.) x 600 dpi; 1,200 (eq.) x 1,200 dpi (eq.) with image w refinement technology
- 38ppm
- Duplex copy & print
- 50p duplex ADF
- Wi-Fi Direct Connection
- Google Cloud Print
- Apple Air Print
- Scan to USB/email
- Secure print
- 500 sheet cassette
- Optional 2nd cassette 500p
- 50p MP Tray
- 1GB
- All-in-one cartridges
- WVGA Colour LCD 5.0" Touch screen Display

CART057 (3,100) or CART057H (10,000)

MF MONO

A4 MONO FAX, PRINT, COPY, SCAN MF449X



- 600X600dpi print
- Auto duplex copy & print
- Copy 43 ppm (A4)
- Scan speed: 38ipm (one sided) and 70ipm (two sided)
- Fax resolution: Up to 406 x 391 dpi
- Fax memory capacity up to 512 pages
- Wi-Fi
- Google Cloud Print
- Apple Air Print
- Scan to USB/email
- 550 sheet standard cassette
- Maximum paper capacity: 2300 sheets
- Duplex Auto Document Feeder: 50 sheets
- 1GB
- All-in-one cartridges
- 5" colour Touch screen.

CART056 (10,000) or CART056H (21,000)

MF MONO

A4 MONO FAX, PRINT, COPY, SCAN MF543X



- 600x600dpi print
- 2400x600 via AIR
- 27ppm (b&w/colour)
- Integrated wireless N & ethernet
- Duplex print
- 50p duplex ADF
- Scan to USB/email
- Quick start up
- 250 sheet paper cassette
- Optional 2nd cassette 250p
- 50p MP tray
- 1GB
- Compatible with Apple Air Print/Google Cloud Print
- Mopria
- NFC Android
- Low power
- All-in-one cartridges
- 5" colour Touch screen

CART055B (2,300) / CART055C/M/Y (2,100) /
CART055HB (7,600) CART055HC/HM/HY (5,900)

MF COLOUR

A4 COLOUR FAX, PRINT, COPY, SCAN MF746CX



CANON INKS

There's no point using a high-quality printer with low quality inks. Which is why our Canon printers use the right inks and ink systems to ensure you get the highest quality prints, every time.

PIXMA HYBRID INK SYSTEM

Canon PIXMA printers have a clever Hybrid Ink System, that uses two kinds of ink. Dye Ink produces vivid natural colours for photos and graphics, while Pigment Ink gives you sharp, easy to read black text for documents.

- Dye Ink (CLI/CL) produces vivid natural colours for photos
- Pigment Ink (PG/ PGI) gives you sharp, easy to read text.



MAXIFY DUAL RESISTANT HIGH-DENSITY INK

A special Ink that's good for business – dual resistant High-Density Ink is a newly-developed pigment formula, used in all Canon MAXIFY printers. It's good for business for many good reasons:

- Resistant to rubbing
- Won't get smudged by highlighter pens
- Splash proof

Plus, it prints vivid colours and sharp text, for great looking documents.



PIXMA ENDURANCE INK REFILLS

Designed for serious print productivity, the ink bottles made for our Canon ENDURANCE printers remove all fuss and mess, with a special ink bottle nozzle, that reduces spillage.

These ink bottles can print up to 6,000 pages in black, or 7,000 pages in colour, with one set of ink. Delivering quality at a low cost per page.



EXTRA LARGE INKS

Harness efficiency by using Canon XL and XXL Inks. Remember, a genuine Canon XL and XXL ink cartridge, means high capacity so you can have more ink for more printing.



INK & PRINTER COMPATABILITY

CASUAL PRINTER Your everyday printer at home

MODEL	COMPATIBLE INK	ALSO AVAILABLE IN
iP3600	PGI-520 BK, CLI-521 BK, C, M, Y	
iP4600	PGI-520 BK, CLI-521 BK, C, M, Y	
iP4700	PGI-520 BK, CLI-521 BK, C, M, Y	
iP4950	PGI-525 BK, CLI526 BK, C, M, Y	Value Pack
iP7260	PGI-650 PGBK, CLI-651 BK, C, M, Y	XL, Value Pack
MP240	PG-510, PG-512, CL-511, CL-513	Value Pack
MP250	PG-510, PG-512, CL-511, CL-513	Value Pack
MP260	PG-510, PG-512, CL-511, CL-513	Value Pack
MP270	PG-510, PG-512, CL-511, CL-513	Value Pack
MP280	PG-510, PG-512, CL-511, CL-513	Value Pack
MP480	PG-510, PG-512, CL-511, CL-513	Value Pack
MP490	PG-510, PG-512, CL-511, CL-513	Value Pack
MP495	PG-510, PG-512, CL-511, CL-513	Value Pack
MP540	PGI-520 BK, CLI-521 BK, C, M, Y	
MP550	PGI-520 BK, CLI-521 BK, C, M, Y	
MP560	PGI-520 BK, CLI-521 BK, C, M, Y	
TS306	PG-645, CL-646	XL, Value Pack
TS3160	PG-645, CL-646	XL, Value Pack
TS3165	PG-645, CL-646	XL, Value Pack
TS3360	PG-645, CL-646	XL, Value Pack
TS3365	PG-645, CL-646	XL, Value Pack

MULTI-TASKER Capable of high volume document printing for your home office or small business

MODEL	COMPATIBLE INK	ALSO AVAILABLE IN
MB2160	PGI-1600 BK, C, M, Y	XL
MB2760	PGI-1600 BK, C, M, Y	XL
MB5160	PGI-2600 BK, C, M, Y	XL
MB5460	PGI-2600 BK, C, M, Y	XL
MG2160	PG-640, CL-641	XL, XXL, Value Pack
MG2260	PG-640, CL-641	XL, XXL, Value Pack
MG2460	PG-645, CL-646	XL, Value Pack
MG2560	PG-645, CL-646	XL, Value Pack
MG2960	PG-645, CL-646	XL, Value Pack
MG3060	PG-645, CL-646	XL, Value Pack
MG3160	PG-640, CL-641	XL, XXL, Value Pack
MG3260	PG-640, CL-641	XL, XXL, Value Pack
MG3660	PG-640, CL-641	XL, XXL, Value Pack
MG4160	PG-640, CL-641	XL, XXL, Value Pack
MG4260	PG-640, CL-641	XL, XXL, Value Pack
MG5150	PGI-525 BK, CLI526 BK, C, M, Y	Value Pack
MG5350	PGI-525 BK, CLI526 BK, C, M, Y	Value Pack
MG5460	PGI-650 PGBK, CLI-651 BK, C, M, Y	XL, Value Pack
MG5560	PGI-650 BK, CLI-651 BK, C, M, Y	XL, Value Pack
MG5660	PGI-650 BK, CLI-651 BK, C, M, Y	XL, Value Pack
MG5760	PGI-670 BK, CLI-671 BK, C, M, Y	XL
MG6150	PGI-525 BK, CLI526 BK, C, M, Y, GY	Value Pack
MG6250	PGI-525 BK, CLI526 BK, C, M, Y, GY	Value Pack
MG6360	PGI-650 BK, CLI-651 BK, C, M, Y, GY	XL, Value Pack
MG6460	PGI-650 BK, CLI-651 BK, C, M, Y	XL, Value Pack
MG6660	PGI-650 BK, CLI-651 BK, C, M, Y	XL, Value Pack
MG6860	PGI-650 BK, CLI-671 BK, C, M, Y	XL
MG7160	PGI-650 BK, CLI-651 BK, C, M, Y, GY	XL, Value Pack
MG7560	PGI-650 BK, CLI-651 BK, C, M, Y, GY	XL, Value Pack
MG7760	PGI-670 BK, CLI-671 BK, C, M, Y, GY	XL
MG8150	PGI-525 BK, CLI526 BK, C, M, Y, GY	Value Pack

INK & PRINTER COMPATABILITY (CONTINUED)

MULTI-TASKER (CONTINUED) Capable of high volume document printing for your home office or small business

MODEL	COMPATIBLE INK	ALSO AVAILABLE IN
MG8250	PGI-525 BK, CLI526 BK, C, M, Y, GY	Value Pack
MP620	PGI-520 BK, CLI-521 BK, C, M, Y	
MP630	PGI-520 BK, CLI-521 BK, C, M, Y	
MP640	PGI-520 BK, CLI-521 BK, C, M, Y	
MP980	PGI-520 BK, CLI-521 BK, C, M, Y, GY	
MP990	PGI-520 BK, CLI-521 BK, C, M, Y, GY	
MX320	PG-510, PG-512, CL-511, CL-513	Value Pack
MX340	PG-510, PG-512, CL-511, CL-513	Value Pack
MX350	PG-510, PG-512, CL-511, CL-513	Value Pack
MX360	PG-510, PG-512, CL-511, CL-513	Value Pack
MX376	PG-640, CL-641	XL, XXL, Value Pack
MX396	PG-640, CL-641	XL, XXL, Value Pack
MX410	PG-510, PG-512, CL-511, CL-513	Value Pack
MX420	PG-510, PG-512, CL-511, CL-513	Value Pack
MX436	PG-640, CL-641	XL, XXL, Value Pack
MX456	PG-640, CL-641	XL, XXL, Value Pack
MX476	PG-640, CL-641	XL, XXL, Value Pack
MX496	PG-645, CL-646	XL, Value Pack
MX516	PG-640, CL-641	XL, XXL, Value Pack
MX526	PG-640, CL-641	XL, XXL, Value Pack
MX536	PG-640, CL-641	XL, XXL, Value Pack
MX715	PGI-525 BK, CLI526 BK, C, M, Y	Value Pack
MX726	PGI-650 BK, CLI-651 BK, C, M, Y	XL, Value Pack
MX850	CLI-8 BK, C, M, Y	
MX860	PGI-520 BK, CLI-521 BK, C, M, Y	
MX870	PGI-520 BK, CLI-521 BK, C, M, Y	
MX885	PGI-525 BK, CLI526 BK, C, M, Y	Value Pack
MX895	PGI-525 BK, CLI526 BK, C, M, Y	Value Pack
MX926	PGI-650 BK, CLI-651 BK, C, M, Y	XL, Value Pack
TR4560	PG-645, CL-646	XL, Value Pack
TR7560	PGI-680 BK, CLI-681 BK, C, M, Y	XL, XXL
TR7660	PGI-680 BK, CLI-681 BK, C, M, Y	XL, XXL
TR8560	PGI-680 BK, CLI-681 BK, C, M, Y	XL, XXL
TR8660	PGI-680 BK, CLI-681 BK, C, M, Y	XL, XXL

CREATIVE PRINTER See memories come to life

MODEL	COMPATIBLE INK	ALSO AVAILABLE IN
iP6860	PGI-650 BK, CLI-651 BK, C, M, Y	XL, Value Pack
iP8760	PGI-650 BK, CLI-651 BK, C, M, Y, GY	XL, Value Pack
iX6550	PGI-525 BK, CLI-526 BK, C, M, Y	Value Pack
iX6860	PGI-650 BK, PGI-655 BK, CLI-651 BK, C, M, Y	XL
iX7000	PGI-7 BK, PGI-9 MBK, PBK, C, M, Y, PC, PM, G, GY, R, GY, CLEAR	
TS5060	PGI-670 PGBK, CLI-671 BK, C, M, Y	XL
TS5160	PG-640, CL-641	XL, XXL, Value Pack
TS5360	PG-660, CL-661	XL
TS5365	PG-660, CL-661	XL
TS6060	PGI-670 BK, CLI-671 BK, C, M, Y	XL
TS6160	PGI-680 BK, CLI-681 BK, C, M, Y	XL, XXL
TS6260	PGI-680 BK, CLI-681 BK, C, M, Y	XL, XXL
TS6360	PGI-680 BK, CLI-681 BK, C, M, Y	XL, XXL
TS6365	PGI-680 BK, CLI-681 BK, C, M, Y	XL, XXL
TS706	PGI-680 BK, CLI-681 BK, C, M, Y	XL, XXL
TS8060	PGI-670 BK, CLI-671 BK, C, M, Y, GY	XL
TS8160	PGI-680 BK, CLI-681 BK, C, M, Y, PB	XL, XXL
TS8260	PGI-680 BK, CLI-681 BK, C, M, Y, PB	XL, XXL
TS8360	PGI-680 BK, CLI-681 BK, C, M, Y, PB	XL, XXL
TS9060	PGI-670 BK, CLI-671 BK, C, M, Y, GY	XL
TS9160	PGI-680 BK, CLI-681 BK, C, M, Y, PB	XL, XXL, Value Pack
TS9560	PGI-680 BK, CLI-681 BK, C, M, Y	XL, XXL, Value Pack
TS9565	PGI-680 BK, CLI-681 BK, C, M, Y	XL, XXL

INK & PRINTER COMPATABILITY (CONTINUED)

ENDURANCE Refillable Ink Tanks – high print production, lower cost

MODEL	COMPATIBLE INK	ALSO AVAILABLE IN
G1610	GI-690 BK, C, M, Y	
G2600	GI-690 BK, C, M, Y	
G2610	GI-690 BK, C, M, Y	
G3600	GI-690 BK, C, M, Y	
G3610	GI-690 BK, C, M, Y	
G4600	GI-690 BK, C, M, Y	
G4610	GI-690 BK, C, M, Y	
G6060	GI-60 BK, C, M, Y	
G6065	GI-60 BK, C, M, Y	
G7060	GI-60 BK, C, M, Y	
G7065	GI-60 BK, C, M, Y	

PORTABLE PRINTERS Prints instantly and goes where ever you go

MODEL	COMPATIBLE INK	ALSO AVAILABLE IN
iP110	PGI-35 BK, CLI-36 CLR	
Mini Photo Printer	ZINK™ Photo Paper Pack	20 & 50 Sheets
Inspic S	MPPP20, MPPP50 ZINK™ Photo Paper Pack	20 & 50 Sheets
Inspic C	MPPP20, MPPP50 ZINK™ Photo Paper Pack	20 & 50 Sheets
Selphy Square	XS-20L Selphy Square Photo Paper	20 Sheets
QX10	XL-20L	
Selphy CP1200	RP-108, RP-54, KL-36IP, KC-36IP, KC-18IF, KC-18IL, KP-36IP, KP-108IN, KC-18IS	
Selphy CP1300	RP-108, RP-54, KL-36IP, KC-36IP, KC-18IF, KC-18IL, KP-36IP, KP-108IN, KC-18IS	
TR150	PGI-35 BK, CLI-36 CLR	

GALLERY QUALITY Ideal for creative professionals wanting gallery quality results

MODEL	COMPATIBLE INK	ALSO AVAILABLE IN
imagePROGRAF PRO-300	PFI-300 MBK, M, PM, C, PC, Y, GY, R, PBK, CO	
PRO-1	PGI-29 MBK, PBK, C, M, Y, PC, PM, R, GY, DGY, LGY, CO	
PRO-1000	PFI-1000 MBK, C, M, Y, PC, PM, R, B, GY, PGY, CO, PBK	
PRO-100S	CLI-42 BK, C, M, Y, PC, PM, GY, LGY	
PRO-200	CLI-65 BK, C, M, Y, GY, PC, PM, LGY	
PRO-300	PFI-300 MBK, PBK, C, M, Y, PC, PM, R, GY, CO	
Pro-9500 Mklil	CLI-8 BK, C, M, Y, PC, PM, G, R, PGI-9 MBK, PBK, C, M, Y, PC, PM, G, R, GY, CLEAR	

BUSINESS High-speed and low-maintenance A3 multifunction printer for demanding small/medium businesses

MODEL	COMPATIBLE INK	ALSO AVAILABLE IN
WG7650Z	PGI-7600 BK, C, M, Y	XL
WG760FM	PGI-7600 BK, C, M, Y	XL
WG760	PGI-7600 BK, C, M, Y	XL

PREMIUM / SPECIALTY PAPERS

Whether you are creating professional quality studio prints for display in your showroom, or keeping your children entertained with a new project, we have the right Canon paper. Choose from quality gloss, semi-gloss, matte and lustre photo paper in A2, A3, A4 and even postcard sizes.

SHORT CODE	DESCRIPTION	SHEET SIZE	GSM	PACK SIZE
------------	-------------	------------	-----	-----------



Photo Paper Pro Premium Matte
Producing great color saturation with a soft feel, this luster paper provides an elegant finish that resists fingerprints and virtually eliminates glare. Pro Premium Matte photo paper is great for portrait, wedding and fine art photography prints.

PM101A3+	Photo Paper Pro Premium Matte A3+	A3+	210	20
----------	-----------------------------------	-----	-----	----



Photo Paper Pro Platinum
Professional studio finish photo paper offering outstanding quality and excellent fade resistance. With wide colour reproduction, this super high glossy heavyweight paper extends the creative potential of photographers.

PT1014X6-50	Photo Paper Pro Platinum 6x4"	6 x 4"	300	50
PT1014X6-20	Photo Paper Pro Platinum 6x4"	6 x 4"	300	20
PT101A4	Photo Paper Pro Platinum A4	A4	300	20
PT101A3	Photo Paper Pro Platinum A3	A3	300	20
PT101A3+	Photo Paper Pro Platinum A3+	A3+	300	10



Luster Photo Paper
Superior quality photo paper with a lustre finish which can be described as textured semi-gloss paper. Achieve vivid colour and stunning monochrome photographic printing for a traditional photolab look which you can create at home.

LU101A4	Luster Photo Paper A4	A4	260	20
LU101A3	Luster Photo Paper A3	A3	260	20



Photo Paper Plus Glossy II
Superior high-gloss paper for brilliant quality photo prints. Providing rich, deep blacks and vivid colours, this paper has a thick and crisp, luxurious feel which is the perfect finish for your digital photograph and all your reprints.

	Photo Paper Plus Glossy II 6x4"	6 x 4"	265	20
PP3014x6-50	Photo Paper Plus Glossy II 6x4"	6 x 4"	265	50
PP3014x6-100	Photo Paper Plus Glossy II 6x4"	6 x 4"	265	100
PP3015x5-20	Photo Paper Plus Glossy II 5x5"	5" x 5"	265	20
PP301A4	Photo Paper Plus Glossy II A4	A4	265	20
PP301A3	Photo Paper Plus Glossy II A3	A3	265	20
PP301A3+	Photo Paper Plus Glossy II A3+	A3+	265	20

SHORT CODE	DESCRIPTION	SHEET SIZE	GSM	PACK SIZE
------------	-------------	------------	-----	-----------

Semi Gloss Photo Paper
Semi Gloss paper offering a satin finish with the texture of real photographic paper. This high quality paper produces brilliant photographs with reduced glossiness for a softer finish for photo lab quality prints every time

SG2014X6	Semi Gloss Photo Paper 6x4"	6 x 4"	260	20
SG201A4	Semi Gloss Photo Paper A4	A4	260	20
SG201A3	Semi Gloss Photo Paper A3	A3	260	20



Matte Photo Paper
This paper is ideal for printing vivid photos and crisp text with a matte finish. This paper is also suitable for creative uses such as party invitations, greetings cards and scrapbooking. A quality matte finish for all of your creative uses.

MP-1014X6	Matte Photo Paper 6x4"	6 x 4"	170	20
MP-101	Matte Photo Paper A4	A4	170	50
MP101A3	Matte Photo Paper A3	A3	170	40



Glossy Photo Paper
Perfect for everyday use, this glossy photo paper is ideal for printing photo-lab quality photographs while providing you with an economical way to produce photos with a glossy finish at home.

GP5014X6-100	Glossy Photo Paper 6x4"	6 x 4"	170	100
GP5014X6-50	Glossy Photo Paper 6x4"	6 x 4"	170	50
GP701A4	Glossy Photo Paper A4	A4	200	100



High Resolution Paper
An everyday paper designed to produce high quality output – for sharp and vivid graphics images and photographs. Ideal for office presentations and school projects.

HR-101N	High Resolution Paper A4	A4	106	200
HR-101NA450	High Resolution Paper A4	A4	106	50
HR-101NA3	High Resolution Paper A3	A3	106	100
HR-101NA3II	High Resolution Paper A3	A3	106	20



CREATIVE PRINTING

Perfect for our home creative customers, you can take your creativity to new levels with our Canon Creative range. From magnet paper, printable nail stickers, photo stickers to t-shirt transfers.

SHORT CODE	DESCRIPTION	SHEET SIZE	GSM	PACK SIZE
	Magnetic Photo Paper			
	MG-101	4 x 6"	670	5 Sheets



Traditional 4"x6" glossy photo paper with a fun magnetic backing
With a magnetic back, photos can be placed on your refrigerator, file cabinets and more to create your own personal photo magnets. Personalize your space at school with magnetic photos in your locker and perfect at home for magnetic wall boards!

	Printable Nail Stickers			
	NL-101	10.8 x 4.85cm	12 stickers per sheet	



Over 200 nail designs to choose from, with more to be regularly added!
Nail Sticker Creator app is compatible with iOS 10 (or later) and Android 5.1 (or later). Includes 2 sets of nail stickers & instructions. Each set comes with 12 stickers (10 + 2 extra) per sheet Requires select PIXMA printers with a Multi-Purpose Tray, and Nail Sticker Creator app (see printer compatibility).

	Photo Paper Plus Glossy II			
	PP-301	3.5 x 3.5"	265	20








Square Photo Paper (also known as Photo Paper Plus Glossy II)
Photo Paper Plus Glossy II yields a glossy finish with exceptionally rich colors, giving your images the look and feel of a traditional photograph. Includes 20 sheets of paper. Compatible with PIXMA TS9500 series, TS8200 series, TS6200 series and MPF 2019 models.

SHORT CODE	DESCRIPTION	SHEET SIZE	GSM	PACK SIZE	
	Restickable Photo Paper				
	RP-101	4 x 6"	260	5	
<p>Traditional matte photo paper with a re-stickable backing. Re-stickable backing makes it easy to re-place and adjust your photos with ease. Re-stickable photo paper, you can place them on mirrors, mugs, walls and lots of other surfaces to personalize your space!</p>					
	Iron-on Transfers (light fabric)	LF-101	A4	125	5
	Iron-on Transfers (dark fabric)	DF-101	A4	160	5
<p>Transfers designed for fabric and materials, perfect for personalizing T-shirts, tote bags, pillows, and more! Make a truly personalised gift using your own photos and designs. Tailor your team or event clothing with your own transfers.</p>					
	Double Sided Matte Photo Paper	MP-101DA4	A4	170	50
	Double Sided Matte Paper Greeting Cards	MP-101DCARDS	7x10	240	20
	Double Sided Matte Photo Paper	MP-101D12x12	12x12	240	30
<p>Perfect for scrapbooking, creating greeting cards and photos. Create memories, pages or greeting cards with double sided matte paper with the ability to print on both sides.</p>					







[illegible][illegible]

SUPPORTED MEDIA COMPATABILITY CHART (CONTINUED)

MEDIA	SIZE	SHEETS	CASUAL PRINTER		MULTI-TASKER														
			TS3160	TS3360/ TS3365	MB2160	MB2760	MB5160	MB5460	MG2560	MG3060	MG3660	MG5760	MG6860	MG7760	TR4560	TR7560	TR7660	TR8560	TR8660
MATTE PHOTO PAPER	4x6	120									●	●	●	●		●	●	●	●
	A4	50									●	●	●	●		●	●	●	●
	A3	40																	
HIGH RESOLUTION PAPER	A4	200, 50			●	●	●	●			●	●	●	●		●	●	●	●
	A3	20			●	●	●	●			●	●	●	●		●	●	●	●
PHOTO PAPER PRO PREMIUM MATTE	A3+	20																	
																			
PRINTABLE NAIL STICKERS	-	2 sheets (12 per sheet)																	
																			
RESTICKABLE PHOTO PAPER	4x6	5	●	●	●	●	●	●	●		●	●	●	●		●	●	●	●
																			

CREATIVE PRINTER														ENDURANCE						PORTABLE PRINTER	GALLERY QUALITY			
TS5160	TS5360 / TS5365	TS6060	TS6160	TS6260	TS6360 / TS6365	TS706	TS8060	TS8160	TS8260	TS8360	TS9060	TS9160	TS9560 / TS9565	TS9660	G2600	G3600	G4600	G4610 / G5610	G6060 / G6065	G7060 / G7065	TR150	PRO-200	PRO-300	PRO-1000
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●					●	●	●	●	●	●
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●					●	●	●	●	●	●
																						●	●	●
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
													●		●	●	●	●	●	●		●	●	●
																						●	●	●
																						●	●	●
																						●	●	●
																						●	●	●
																						●	●	●
																						●	●	●
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

SUPPORTED MEDIA COMPATABILITY CHART (CONTINUED)

MEDIA	SIZE	SHEETS	CASUAL PRINTER		MULTI-TASKER															
			TS3160	TS3360/ TS3365	MB2160	MB2760	MB5160	MB5460	MG2560	MG3060	MG3660	MG5760	MG6860	MG7760	TR4560	TR7560	TR7660	TR8560	TR8660	
MAGNETIC PHOTO PAPER		4x6	5	●	●						●	●	●	●	●	●	●	●	●	●
LIGHT FABRIC IRON-ON TRANSFERS		A4/LTR	5									●	●	●	●		●	●	●	●
DARK FABRIC IRON-ON TRANSFERS		A4/LTR	5											●		●	●	●	●	
		DOUBLE SIDED MATTE PAPER	7x10	20 (with envelopes)																
		12x12	30																	
MATTE PHOTO PAPER		A4	50								●	●	●	●	●	●	●	●	●	

CREATIVE PRINTER															ENDURANCE								PORTABLE PRINTER	GALLERY QUALITY			
TS5160	TS5360 / TS5365	TS6060	TS6160	TS6260	TS6360 / TS6365	TS706	TS8060	TS8160	TS8260	TS8360	TS9060	TS9160	TS9560 / TS9565	TS5060	G2600	G3600	G4600	G4610 / G3610	G6060 / G6065	G7060 / G7065	TR150	PRO-200		PRO-300	PRO-1000		
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●				●		
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●							●					
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●				
				●	●	●			●	●			●							●	●						
													●														
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		

THE CANON DIFFERENCE – PRINTERS

PRINT ASSIST

Step through guides to have you up and printing in no time.
If there is a fault found within 1 year we'll replace it. Just call 1300 460 738.
<https://www.canon.com.au/printassist>



CANON PRINT APP

An application to print and scan from PIXMA, MAXIFY AND SELPHY from your smartphone/tablet.



CANON CREATIVE PARK

Canon's Creative park website offers free Creative Park App, 3D paper craft projects, scrapbooking templates and embellishments, templates for personalised greeting cards and calendars, education materials and much more.
Keep kids entertained whilst at home! <https://creativepark.canon/>



THE CANON DIFFERENCE – CAMERAS

5 YEAR WARRANTY

Applies to Canon Mirrorless, DSLR, Digital Video Camera and Lens purchases from authorised Canon Australia sellers www.canon.com.au/warranty. Canon voted as 'Australia's most trusted camera brand'* 2 years in a row!



CAMERA ASSIST

Get to know your camera – our video guides will help you get started.
<https://www.canon.com.au/cameraassist>



CANON CAMERA CONNECT APP

An application to transfer images shot with compatible cameras to your smartphone/tablet.



KYOYU

Kyoyu lets you rent your photography gear or hire the camera and lenses you need, quickly and easily from the community. <https://kyoyu.canon.com.au/>



CANON PROFESSIONAL SERVICES (CPS)

CPS is your professional network. Designed for all you pros working in the photography and filmmaking biz, CPS delivers you all the support you need from the leading professional team. From tech to repairs and news to inspiration, all your service needs are wrapped up in one destination. <https://cps.canon.com.au/>



IMAGE.CANON

image.canon seamlessly captures your photos and movies and puts them in the places you need them to be – to help you tell your stories in public or private.



COMPACT CAMERAS

Always be ready to capture the shot wherever you are.
No matter whether you're capturing travels,
special family events, or nights out with friends.



IXUS185



- 20.0 MP
- Sensor Size 1/2.3"
- CCD
- Max ISO 1,600
- AF point 9
- Face detection
- DiGiC 4+
- 8x optical zoom
- 28mm max wide angle
- 224mm max telephoto
- f/3.2 max aperture (wide angle)
- f/6.9 max aperture (telephoto)
- 2.7" LCD screen size
- 230k dots LCD screen resolution
- 0.8 fps
- HD movies
- NB-11LH battery
- CB-2LFE Battery charger
- 210 battery life (approx shots)
- 126g weight (body only)

Available in: ● Black ● Silver ● Red (Exclusive to Harvey Norman)

IXUS190



- 20.0 MP
- Sensor Size 1/2.3"
- CCD
- Max ISO 1,600
- AF point 9
- Face detection
- DiGiC 4+
- 10x Optical zoom
- 24mm max wide angle
- 240mm max telephoto
- Image Stabilizer
- f/3.0 max aperture (wide angle)
- f/6.9 max aperture (telephoto)
- 2.7" LCD screen size
- 230k dots LCD screen resolution
- 0.8 fps
- HD movies
- NB-11LH battery
- CB-2LFE Battery charger
- 190 battery life (approx shots)
- Canon Camera Connect App
- Wi-Fi
- NFC
- GPS via app
- 137g weight (body only)

Available in: ● Black ● Silver

IXUS285



- 20.2 MP
- Sensor Size 1/2.3"
- CMOS
- Max ISO 3,200
- AF point 9
- Face detection
- DiGiC 4+
- 12x optical zoom
- 25mm max wide angle
- 300mm max telephoto
- Image Stabilizer
- f/3.6 max aperture (wide angle)
- f/7.0 max aperture (telephoto)
- 3" LCD screen size
- 461k dots LCD screen resolution
- 2.5 fps
- HD movies
- Full HD movies
- NB-11LH battery
- CB-2LFE Battery charger
- 180 battery life (approx shots)
- Canon Camera Connect App
- Wi-Fi
- NFC
- GPS via app
- 147g weight (body only)

Available in: ● Black ● White

Exclusive to:
JB HI-FI

SX430IS



- 20.0 MP
- Sensor Size 1/2.3"
- CCD
- Max ISO 1,600
- AF point 9
- Face detection
- DiGiC 4+
- 45x optical zoom
- 24mm max wide angle
- 1080mm max telephoto
- Image Stabilizer
- f/3.5 max aperture (wide angle)
- f/6.8 max aperture (telephoto)
- 3" LCD screen size
- 230k dots LCD screen resolution
- 0.5 fps
- HD movies
- NB-11LH battery
- CB-2LFE Battery charger
- 195 battery life (approx shots)
- Canon Camera Connect App
- Wi-Fi
- NFC
- GPS via app
- 323g weight (body only)

Available in: ● Black

- 20.3 MP
- Sensor Size 1/2.3"
- CMOS
- Max ISO 3,200
- AF point 9
- Face detection, DiGiC 6
- 50x Optical zoom

Available in: ● Black

- 24mm max wide angle
- 1200mm max telephoto
- Image Stabilizer
- f/3.4 max aperture (wide angle)
- f/6.5 max aperture (telephoto)
- 3" LCD screen size
- 461k dots LCD screen resolution
- 5.9 fps
- HD movies
- Full HD movies
- NB-6LH battery
- CB-2LYE Battery charger

- 205 battery life (approx shots)
- Canon Camera Connect App
- Wi-Fi
- NFC
- GPS via app
- 442 weight (body only)

SX540HS



Exclusive to:
JB HI-FI

- 20.3 MP
- Sensor Size 1/2.3"
- CMOS
- Max ISO 3200
- Autofocus Points 9
- Face detection
- DiGiC 8
- 40x optical zoom

Available in: ● Black

- 80x Zoom Plus
- 24mm max wide angle
- 960mm max telephoto
- Image Stabilizer
- f/3.3 max aperture (wide angle)
- f/6.9 max aperture telephoto
- 3" tilt-up LCD screen size
- Continuous Shooting Speed 10fps (fixed AF) and 7.4 fps (tracking AF)
- 4K movies and Time lapse

- Photo effects and in built shooting modes
- Canon Camera Connect App
- Wi-Fi
- NFC
- Bluetooth

SX740HS



- 20.3 MP
- Sensor Size 1/2.3"
- CMOS
- Max ISO 3,200
- AF point 31
- Face detection
- DiGiC 8

Available in: ● Black

- 65x Optical zoom and 130x zoom plus
- Lens 21 – 1365mm
- Image Stabilizer
- f/3.4 max aperture (wide angle)
- f/6.5 max aperture (telephoto)
- 3" LCD Vari-angle screen
- 920k dots LCD screen resolution
- 10 fps (one shot) & 5.7fps (Servo)
- 4K movies and time-lapse

- 30p crop
- Auto Lighting Optimizer
- Electronic viewfinder

SX70HS



G9 X Mark II



- 20.1 MP
- Sensor Size 1"
- CMOS
- Max ISO 12,800
- AF point 31
- Face detection
- DiGiC 7
- 3x optical zoom
- 28mm max wide angle

Available in: ● Black ● Silver

- 84mm max telephoto
- Image Stabilizer
- f/2.0 max aperture (wide angle)
- f/4.9 max aperture (telephoto)
- 3" LCD screen size
- 1.04 million dots LCD screen resolution
- Touch screen
- 8.2 fps
- HD movies
- Full HD movies
- Full HD 60p
- NB-13L battery
- CB-2LHE Battery charger
- 206 battery life (approx shots)

- Canon Camera Connect App, Wi-Fi
- NFC
- Bluetooth
- GPS via app
- RAW mode
- Time lapse movie mode
- Star mode

G7X Mark III



- 20.1 MP
- **Sensor Size 1" Stacked CMOS**
- Max ISO 12,800
- AF point 31
- Face detection
- **DiGiC 8**
- 4.2x optical zoom
- 24mm max wide angle
- 100mm max telephoto
- Image Stabilizer
- f/1.8 max aperture (wide angle)
- f/2.8 max aperture (telephoto)
- 1.04 million dots LCD screen resolution
- **3" 180° tilt up LCD touch screen**
- 20 fps
- 30 fps RAW 4K (30p), Full HD (120p) and HD movies
- **NB-13L battery**
- CB-2LHE Battery charger
- 235 battery life (approx shots)
- Canon Camera Connect App
- Wi-Fi/ Bluetooth
- GPS via app
- In-Camera RAW processing
- Live stream to YouTube
- 304g weight (body only)

CameraAssist

Available in: ● Black ● Silver
Silver exclusive to Camera House

G7X Mark II



- 20.1 MP
- Sensor Size 1"
- CMOS
- Max ISO 12,800
- AF point 31
- Face detection
- DiGiC 7
- 4.2x optical zoom
- 24mm max wide angle
- 100mm max telephoto
- Image Stabilizer
- f/1.8 max aperture (wide angle)
- f/2.8 max aperture (telephoto)
- 3" LCD screen size
- 1.04 million dots LCD screen resolution
- 180° up 45° down LCD
- Touch screen
- 8 fps
- HD movies
- Full HD movies
- Full HD 60p
- NB-13L battery
- CB-2LHE Battery charger
- 265 battery life (approx shots)
- Canon Camera Connect App
- Wi-Fi
- NFC
- GPS via app
- RAW mode
- Time lapse movie mode
- Star mode
- HDR mode
- 319g weight (body only)

CameraAssist

Available in: ● Black

G5X Mark II



- 20.1 MP
- **Sensor Size 1" Stacked CMOS**
- Max ISO 12,800
- AF point 31
- Face detection
- **DiGiC 8**
- 5x optical zoom
- 24mm max wide angle
- 120mm max telephoto
- Image Stabilizer
- f/1.8 max aperture (wide angle)
- f/2.8 max aperture (telephoto)
- 3" LCD screen size
- 1.04 million dots LCD screen resolution
- 180° tilt touchscreen
- 20 fps
- 30 fps RAW
- Pop up EVF
- 4K (30p), Full HD (120p) and HD movies
- NB-13L battery
- CB-2LHE Battery charger
- 230 battery life (approx shots)
- Canon Camera Connect App
- Wi-Fi/ Bluetooth

CameraAssist

Available in: ● Black

G1X Mark III



- 26.2MP
- **Sensor Size APS-C**
- CMOS
- **Max ISO 25,600**
- **AF point 49**
- Face detection
- **Dual pixel CMOS AF**
- **DiGiC 7**
- 3x optical zoom
- 24-72mm
- Image Stabilizer
- f/2.8 max aperture (wide angle)
- f/5.6 max aperture (telephoto)
- 3" LCD screen size
- 1.04 million dots LCD screen resolution
- Vari-angle LCD
- Touch screen
- 7 fps
- Full HD & HD movies
- Full HD 60p
- Canon Camera Connect App
- Wi-Fi
- NFC
- Bluetooth
- GPS via app
- Time lapse movie mode
- RAW Mode
- Star Mode
- HDR mode
- **Panorama Mode**
- NB-13L battery
- CB-2LHE Battery charger
- 200 battery life (approx shots)
- 399g weight (body only)

CameraAssist

Available in: ● Black ● Silver

INSTANT CAMERAS

Make memories that stick with Canon's range of Instant Cameras. Perfect your selfies with the front mounted mirror and remote shooting capabilities via Bluetooth. All you have to do is Snap and Print!



Inspic S

Available in: ● Black **SBLACK**, ● Rose Gold **SGOLD** and ○ White **SWHITE**
ZINK paper: 20 Pack **MPPP20** and 50 pack **MPPP50**

- Large round selfie mirror with LED ring light
- Re-Print button
- Micro SD card slot
- Selectable Flash
- Selectable Aspect Ratio button
- Prints on peel and stick ZINK paper
- USB-C Charging
- Mini Print App connection via Bluetooth



Inspic C

Available in: ● Yellow **CYELLOW**, ● Blue **CBUE** and ● Pink **CPINK**
ZINK paper: 20 Pack **MPPP20** and 50 pack **MPPP50**

- Rectangle Selfie Mirror
- Re-Print button
- Micro SD card slot
- Auto Flash
- Selectable Aspect Ratio button
- Prints on peel and stick ZINK paper
- USB-C Charging

WE'VE GOT YOU COVERED

At Canon we obsess about the details in every aspect of our products, and that's why we are confident to offer a 5 year local warranty on all of our Mirrorless, DSLR, Digital Video Camera and Lens products.

This Canon Australia Warranty applies to purchases made on or after 25th November 2019 and is in addition to your rights under Australian Consumer Law.

To see the full terms and conditions visit canon.com.au/warranty.

For more information on Australian Consumer Law visit <http://consumerlaw.gov.au/the-australian-consumer-law/>

Canon, Australia's most trusted camera brand.

*Shopper Media Survey February 2019, n=20,431

5 YEAR LOCAL WARRANTY FROM AUSTRALIA'S MOST TRUSTED CAMERA BRAND*

*Shopper Media Survey February 2020, n=20,431

Applies to Canon Mirrorless, DSLR, Digital Video Camera & Lens purchases from authorised Canon Australia sellers from 25th November 2019.



MIRRORLESS CAMERAS

You'll love the outstanding features of these lightweight mirrorless cameras to help you master all aspects of your photography.

- 24.1 MP
- APS-C
- Max ISO 25,000 expandable to 51,200
- Max ISO (movies) 12,800
- DiGiC 8
- AF point 143
- AF working range EV -4 to 18
- Dual pixel CMOS AF
- LCD screen size 3"
- 1,040,000 Dots LCD screen resolution
- Tilt up 180°
- Touch screen
- 6 fps
- 71 max burst (JPG)
- 13 max burst (RAW)
- 1/4000 max shutter speed
- 4K Movies
- Full HD movies
- Canon Camera Connect App
- Wi-Fi
- Bluetooth
- GPS via app
- SD memory card
- RAW mode CR3
- 4K Time lapse
- HDR mode
- Built in flash
- EF-M
- EF & EF-S via EF-EOSM adaptor

- LP-E12 battery
- LC-E12 battery charger
- 315 battery life (shots)
- Remote control BR-E1 or via app
- 262g weight (body only)
- Dimensions 108 x 67 x 35

EOS M200



M200(BKAU)15-45 Black, M200(BKAU)15-45 White

- 24.1 MP
- APS-C
- Max ISO 25,000 expandable to 51,200
- Max ISO (movies) 6,400
- DiGiC 8
- AF point 143
- AF working range EV 2-18
- Dual pixel CMOS AF
- LCD screen size 3"
- 1,040,000 Dots LCD screen resolution
- Vari-angle LCD
- Touch screen
- Touch & Drag AF
- 10 fps
- 33 max burst (JPG)
- 10 max burst (RAW)
- 1/4000 max shutter speed
- Built in EVF
- 4K Movies
- Full HD movies
- Full HD 60p
- In-body Image
- Stabilization 5-axis (movie mode only)
- Hot-shoe
- Canon Camera Connect App
- Wi-Fi
- NFC
- Bluetooth
- GPS via app
- Microphone input
- SD memory card
- RAW mode CR3
- 4K Time lapse
- HDR mode
- Built in flash

- EF-M
- EF & EF-S via EF-EOSM adaptor
- LP-E12 battery
- LC-E12 Battery charger
- 235 battery life (shots)
- AC adapter CAPS700
- DC coupler DRE17
- Remote control BR-E1 or via app
- 387g weight (body only)
- Dimensions 116.3 x 88.1 x 58.7
- Creative Assist

EOS M50



M50KIS with EF-M 15-45 ST

CameraAssist

- 24.2 MP
- APS-C
- Max ISO (stills) 25,600
- Max ISO (movies) 6,400
- DiGiC 7
- AF point 49
- AF working range EV -1-18
- Dual pixel CMOS AF
- LCD screen size 3.2"
- 1,620,000 dots LCD screen resolution
- 85° up 180° down Vari-angle LCD
- Touch screen
- Touch & Drag AF
- Display off sensor
- 7 fps
- 26 max burst (JPG)
- 17 max burst (RAW)
- 1/4000 max shutter speed
- Built in EVF
- Optional EVFDC1/ EVFDC2
- Full HD movies
- Full HD 60p
- In-body Image
- Stabilization 5-axis (movie mode only)
- LP-E17 battery
- LCE17E Battery charger
- 295 battery life (shots)
- Hot-shoe
- Exposure Compensation Dial
- Canon Camera Connect App
- Wi-Fi
- NFC
- Bluetooth
- GPS via app
- Microphone input
- SD memory card
- RAW mode

- Time lapse movie mode
- HDR mode
- Built in flash
- EF-M
- EF & EF-S via EF-EOSM adaptor
- AC adapter CAPS700
- DC coupler DRE17
- Remote control RC-6 BR-E1 or via app
- 427g weight (body only)
- Dimensions 115.6 x 89.2 x 60.6

BK EOS M5



M5B body only, M5KIS with EF-M 15-45 ST, M5SK with EF-M 18-150 ST

CameraAssist

- 32.5 MP
- APS-C
- Max ISO (stills) 25,600
- Max ISO (movies) 12,800
- DiGiC 8
- AF point 143
- AF working range EV -5 to 18
- Dual pixel CMOS AF
- LCD screen size 3"
- 1,040,000 Dots LCD screen resolution
- 180° up 45° down Vari-angle LCD
- Touch screen
- 14 fps
- 1/4000 max shutter speed
- EVFDC2 Electronic view finder included
- 4K 30p movies
- Full HD 60p
- LP-E17 battery
- LCE17E Battery charger
- 305 battery life (shots)
- Canon Camera Connect App
- Wi-Fi
- Bluetooth
- GPS via app
- Microphone input
- SD memory card
- RAW mode

- Time lapse movie mode
- HDR mode
- Built in flash
- EF-M
- EF & EF-S via EF-EOSM adaptor
- 408g weight (body only)
- Dimensions 120 x 70 x 49

EOS M6 Mark II



M6IKIS with EFM15-45 lens and EVFDC2, M6IKIS + EFM2220ST with EFM2220ST

CameraAssist



IMAGE.CANON

CAPTURING YOUR PHOTO OR MOVIE IS JUST THE BEGINNING!

image.canon seamlessly captures your photos and movies and puts them in the places you need them to be – to help you tell your stories in public or private.

SEAMLESS UPLOAD FROM CAMERA TO THE CLOUD

image.canon is a cloud service designed to ease your imaging workflow, whether you are a professional, enthusiast, or casual user. Connecting your Wi-Fi compatible Canon camera to the image.canon service will allow you to seamlessly upload all your images and movies in their original format and quality and access them from the dedicated app or a web browser – and automatically forward them to your computer, mobile devices, and third party services.

ALL ORIGINAL IMAGES STAY FOR 30 DAYS

You can upload all of the images you have taken to image.canon cloud in original data and save for 30 days. Although the original data will be automatically deleted after 30 days, the display thumbnails will remain.

*A thumbnail is a compressed image of up to 2,048 px for display in the app.

AUTO DOWNLOAD IMAGES TO PC AND MAC

Downloader for image.canon, available for compatible Windows and MacOS computers, automatically downloads the contents of your image.canon account to your computer – for image management made simple.

UP TO 10GB LONG TERM STORAGE

Need to hold on to your originals for more than 30 days? Want a library of reduced resolution images? Store 10GB of images and movies long term.

*Please click here for information about the storage period.

*If this service is not used for 1 year, all of the images will be deleted regardless of their expiration date.



EF-M LENSES AND ACCESSORIES

EF-M 22mm f/2 STM



EF-M 11-22mm f/4-5.6 IS STM



EF-M 28mm f/3.5-6.3 IS STM Macro lens with built in macro lite



EF-M 15-45mm f/3.5-6.3 IS STM



EF-M 18-150mm f/3.5-6.3 IS STM



EF-M 32mm f/1.4 STM



EF-M 55-200mm f/4.5-6.3 IS STM



EF-M Mount Adapter



EVF-DC1 Electronic Viewfinder





EOS R6 STEP INTO THE NEW ERA

EOS R6 is the fully featured full frame mirrorless camera for high end enthusiast photographers with 20 frames per second stills shooting, 20MP still images, In-Body Image Stabilizer, 100% autofocus frame coverage, 4K 60p movies and Dual Card slots. **R6BODY R624105STM**

- 20.1MP Full Frame CMOS sensor
- 0.5" OLED EVF with 3.69 million dots
- Dual Pixel CMOS AF II
- Autofocus in 0.05 seconds with 6072 available AF points
- 3.0" Vari-angle LCD screen with touch and drag AF
- 4K 60p movie and Full HD 120p
- DIGIC X
- Native ISO 100–102400 range (expandable to ISO 204800)
- Eye detection AF
- Dual pixel RAW file format
- In-camera RAW Processing
- 20 fps (electronic shutter)
- 12 fps (mechanical shutter)
- Silent Shutter
- Canon RF mount
- RF lenses feature Canon Control Ring
- Auto Lighting Optimizer
- SD/SDHC/SDXC memory cards
- Customization of lens control ring, buttons and dials
- 320 battery life (shots)
- LP-E6NH battery
- Canon Camera Connect App
- Wi-Fi
- NFC Bluetooth
- GPS via app
- Microphone input
- Dimensions 138.4 x 97.5 x 88.4

EOS R5 GAME ON

EOS R5 is a professional full frame mirrorless flagship camera offering photographers and filmmaker a host of ground-breaking features including 8K movies, 20 frames per second stills shooting, 45MP still images, In-Body Image Stabilizer, 100% autofocus frame coverage and Dual Card slots. **R5BODY**

- 45MP Full Frame CMOS sensor
- 0.5" OLED EVF with 5.76 million dots
- Dual Pixel CMOS AF II
- Autofocus in 0.05 seconds with 5940 available AF points
- 3.2" Vari-angle LCD screen with touch and drag AF
- 8K 30p movies and 4K 120p
- DIGIC X
- Native ISO 100–51200 range (expandable to ISO 102400)
- Eye detection AF
- Dual pixel RAW file format
- In-camera RAW Processing
- 20 fps (electronic shutter) 12 fps (mechanical shutter)
- Silent Shutter
- Canon RF mount
- RF lenses feature Canon Control Ring
- Auto Lighting Optimizer
- CFexpress card/SD/SDHC/SDXC memory cards
- Customization of lens control ring, buttons and dials
- 320 battery life (shots)
- LP-E6NH battery
- Canon Camera Connect App
- Wi-Fi
- NFC Bluetooth
- GPS via app
- Microphone input
- 650g weight (body only)
- Dimensions 138.5 x 97.5 x 88.0

EOS RP



- 26.2 MP Full frame CMOS sensor
- OLED EVF with 2.36 million dots
- Dual pixel CMOS AF
- Autofocus in 0.05 seconds with 4779 available AF points
- 3" Vari-angle LCD screen with touch and drag AF
- 4K movies and grab 8.8MP stills from movies
- 4K Time lapse
- DIGIC 8
- Native ISO 100-40000 range (expandable to ISO 102400)
- Eye detection AF
- Dual pixel RAW file format
- In-camera RAW Processing
- Silent Shutter
- Canon RF mount
- RF lenses feature Canon Control Ring
- Auto Lighting Optimizer
- Single card slot
- Mode Dial provided
- HDR shooting
- Continuous shooting 5fps (one shot) and 4 fps (servo)
- Customization of lens control ring, buttons and dials
- 250 battery life (shots)
- In-camera charging
- LP-E17 battery
- Canon Camera Connect App
- Wi-Fi
- NFC Bluetooth
- GPS via app
- Microphone input
- 485 weight (body only)
- Dimensions 132.5x85x70



RPBODY body only, RPBODY + EF-EOSR with EF-EOS R adapter, RPKIT

EOS R



- 30.3 MP Full frame CMOS sensor
- 0.5" OLED EVF with 3.69 million dots
- Dual pixel CMOS AF
- Autofocus in 0.05 seconds with 5655 available AF points
- 3.15" Vari-angle LCD screen with touch and drag AF
- 4K 30p movies with 10-bit output via HDMI with 4:2:2 compression
- DIGIC 8
- Native ISO 100-40000 range (expandable to ISO 102400)
- Eye detection AF
- 4K time-lapse movies
- Dual pixel RAW file format
- In-camera RAW Processing
- 8 fps
- Silent Shutter
- Canon RF mount
- RF lenses feature Canon Control Ring
- Auto Lighting Optimizer
- SD/SDHC/SDXC memory card
- Customization: 19 functions; customization of button
- Dial and M-Fn bar operation
- 370 battery life (shots)
- LP-E6N battery
- Canon Camera Connect App
- Wi-Fi
- NFC Bluetooth
- GPS via app
- Microphone input
- 660 weight (body only)
- Dimensions 135.8x98.3x84.4



RBODY body only, RKIT with RF24-105 LIS

EOS Ra



- 30.3 MP Full frame CMOS sensor
- 0.5" OLED EVF with 3.69 million dots
- 30x Magnification in live view Infrared cutoff filter
- Dual pixel CMOS AF
- Autofocus in 0.05 seconds with 5655 available AF points
- 3.15" Vari-angle LCD screen with touch and drag AF
- 4K 30p movies with 10-bit output via HDMI with 4:2:2 compression
- DIGIC 8
- Native ISO 100-40000 range (expandable to ISO 102400)
- Eye detection AF
- 4K time-lapse movies
- Dual pixel RAW file format
- In-camera RAW Processing
- 8 fps
- Silent Shutter
- Canon RF mount
- RF lenses feature Canon Control Ring
- Auto Lighting Optimizer
- SD/SDHC/SDXC memory card
- Customization: 19 functions; customization of button
- Dial and M-Fn bar operation
- 370 battery life (shots)
- LP-E6N battery
- Canon Camera Connect App
- Wi-Fi
- NFC Bluetooth
- GPS via app
- Microphone input
- 660 weight (body only)
- Dimensions 136 x 98 x 84



RABODY body only

R SERIES COMPARISON CHART

FEATURE	EOS R5	EOS R6	EOS R	EOS RP
SENSOR SIZE	Full Frame	Full Frame	Full Frame	Full Frame
MEGAPIXELS	45	20.1	30.3	26.2
IMAGE PROCESSOR	DIGIC X	DIGIC X	DIGIC 8	DIGIC 8
ISO SPEED (IMAGES)	100–51200	100–102400	100-40000	100-40000
MOVIE RECORDING SIZE	8K 30p Up to 4K 120p	Up to 4K 60p	Up to 4K 30p	Up to 4K 24p
CANON LOG	Yes	Yes	Yes	No
ZEBRA DISPLAY	Yes	Yes	No	No
HEADPHONE OUT / MIC IN	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes
BUILT IN MIC	Mono	Stereo	Stereo	Stereo
ELECTRONIC VIEWFINDER RESOLUTION	5.76 million dots	3.69 million dots	3.69 million dots	2.36 million dots
CARD SLOTS	Yes (1x CF express, 1x SD)	Dual (2x SD)	1x SD	1x SD
LCD SCREEN SIZE	3.2"	3.0"	3.15"	3.0"
LCD SCREEN RESOLUTION	2.1 million dots	1.62 million dots	2.1 million	1.04 million
IN BODY IMAGE STABILIZER	Yes	Yes	No	No
CONTINUOUS SHOOTING SPEED	Up to 20 frames per second electronic shutter; Up to 12 frames per second mechanical shutter	Up to 20 frames per second electronic shutter; Up to 12 frames per second mechanical shutter	Up to 8 frames per second One-shot; Up to 5 frames per second AI Servo	Up to 5 frames per second One-shot; Up to 4 frames per second AI Servo
AUTOFOCUS SYSTEM	Dual Pixel CMOS AF II	Dual Pixel CMOS AF II	Dual Pixel CMOS AF	Dual Pixel CMOS AF
AF ZONES DURING AUTO SELECTION	1053	1053	143	143
USER SELECTABLE AF POINTS	5940	6072	5655	4779
LOW LUMINESCENCE AF	EV -6 (f/1.2)	EV -6.5 (f/1.2)	EV -6	EV -5
PORTRAIT RELIGHTING	Yes	No	No	No
BACKGROUND CLARITY	Yes	No	No	No
TOP LCD SCREEN	Yes	No	Yes	No
IMAGE FILE TYPES	JPG/HEIF/RAW	JPG/HEIF/RAW	JPG/RAW	JPG/RAW
WI-FI/BLUETOOTH	Yes (5 GHz)/Yes	Yes (2.4 GHz)/Yes	Yes/Yes	Yes/Yes
IMAGE.CANON	Automatic upload	Automatic upload	Manual file transfer	Manual file transfer
WIRELESS FILE TRANSMITTER SUPPORT	Yes	No	Yes	No
ETHERNET	Yes	No	No	No
VOICE MEMO	Yes	No	No	No
DIMENSIONS (MM)	138.5 x 97.5 x 88.0	138.4 x 97.5 x 88.4	135.8 x 98.3 x 84.4	132.5 x 85.0 x 70.00
WEIGHT (INC BATTERY)	738g	680g	660g	485g

NOT JUST A NEW CAMERA, A WHOLE NEW GAME.

8K 30p movies with no crop
Up to 20 fps continuous shooting
45MP Full Frame CMOS Sensor
In Body Image Stabilizer
Dual Pixel CMOS AF II
Advanced eye and head detect

EOS R5. GAME ON.

canon.com.au



RF LENSES AND ACCESSORIES

RF 24-105 mm
f/4L IS USM



RF 50 mm f/1.2L USM



RF 28-70mm f/2L USM



RF 35mm f/1.8
Macro IS STM



RF 85mm f/1.2L USM



RF 24-240mm
f/4-6.3 IS USM



RF 15-35mm
F2.8 L IS USM



RF 24-70mm
F2.8 L IS USM



RF 24-105mm
f4-7.1 IS STM



RF 85mm f1.2L DS USM



RF 28-70mm f2 L USM



RF 70-200mm
f2.8 L IS USM



RF 100-500mm
f/4.5-7.1L IS USM



RF 85mm
f/2.0 Macro IS STM



RF 600mm f/11 IS STM



RF 800mm f/11 IS STM



RF 1.4x Extender



RF 2x Extender



ADAPTERS AND FILTERS

MOUNT ADAPTER EF-EOSR



Allows EF-S and EF lenses to be used on EOS R system cameras with seamless adaption and no loss of quality or features. **EF-EOSR**

CONTROL RING MOUNT ADAPTER EF-EOSR



Offers the same lens mount conversion as Mount Adapter EF-EOS R, but also adds a Lens Control Ring for intuitive control of aperture, shutter speed or ISO. **EF-EOSRCONTROL**

DROP-IN FILTER MOUNT ADAPTER EF-EOSR



Takes the functionality of Mount Adapter EF-EOS R and adds the ability to use drop-in filters, removing the need to fit filters on the front of a lens. It's available with either a variable neutral density filter or circular polarising filter. A clear filter is also available for shooting without filter effects. **EF-EOSRFILTERCPL** **EF-EOSRFILTERND**

CLEAR DROP-IN MOUNT FILTER



A clear filter, for users who have bought the drop-in filter adapter but who do not wish to have any filter effects. **CLEARFILTERA**

CIRCULAR POLARISING DROP-IN MOUNT FILTER



A circular polarising filter which boosts colour, contrast and saturation, and controls unwanted reflections. **CPLFILTERA**

VARIABLE NEUTRAL DENSITY DROP-IN MOUNT FILTER



A neutral density filter for controlling exposure in movies and prolonging shutter speeds for a variety of creative movement effects in photographs. **NDFILTERA**

BATTERY AND GRIPS

BG-E22 BATTERY GRIP



Battery grip for EOS R and EOS Ra. **BG-E22**

BG-R10 BATTERY GRIP WFT-R10E WIRELESS FILE TRANSMITTER



Battery grip for EOS R5 and EOS R6. **BG-R10** Wireless File Transmitter for EOS R5. **WFT-R10E**

EG-E1 EXTENSION GRIP



Extension Grip EG-E1 for EOS RP – creates a larger grip for more comfortable shooting. Available in black, red or blue. **EG-E1BLACK** **EG-E1BLUE** **EG-E1RED**

LP-E6N BATTERY



Battery for EOS R, EOS Ra, EOS R5, EOS R6. **LP-E6N**

LP-E6NH BATTERY



High Capacity Battery. Compatible with EOS R, EOS Ra, EOS R5, EOS R6. **LP-E6NH**

PD-E1 USB POWER ADAPTER



Charge your battery without removing it from the camera with this USB power adapter. Compatible with EOS R, EOS Ra, EOS RP, EOS R5, EOS R6. **PD-E1**

DSLR CAMERA

From portraiture to landscapes, street to sport and travel to wildlife, no matter your passion, capture all the details in your world.

EOS 1500D



- 24.1MP
- APS-C
- Max ISO 6400
- ISO expandable to 12800
- 63-zone TTL
- DiGiC 4+
- AF point 9
- Cross type AF point 1
- AF working range EV 0 – 18
- 3" LCD screen
- 920,000 dots
- LCD screen resolution
- 3 fps
- Max burst (JPG) 150
- Max burst (RAW) 11
- Max shutter speed 1/4000
- Viewfinder type Pentamirror
- 95% viewfinder coverage
- Viewfinder magnification 0.8x
- Full HD movies
- Canon Camera Connect App
- Wi-Fi/ NFC
- GPS via app
- SD memory card
- 5 Creative Filters
- Built in flash
- EF & EF-S
- LPE10 battery
- Battery charger LCE10E
- 500 battery life (shots)
- CAPS700 AC adapter
- DRE10 DC coupler
- Remote control
- 475g weight (body only)
- Aluminium alloy and polycarbonate resin with carbon and glass fiber



1500DKB with EF-S 18-55 III

EOS 200D Mark II



- 24.1MP
- APS-C
- MAX ISO 25600
- ISO expandable to 51200
- 63-zone TTL
- DiGiC 8
- AF point 9
- Cross type AF points 1
- EV 1-20
- 3" LCD screen
- 1,040,000 dots
- Vari-angle 3" LCD
- Touch screen
- 5 fps
- Max burst (JPG) Until card full
- Max burst (RAW) 10
- Max shutter speed 1/4000
- Viewfinder coverage 95%
- Viewfinder magnification 0.87x
- 4K movies
- 4K Time lapse
- Canon Camera Connect App
- Wi-Fi
- NFC
- Bluetooth
- Microphone input
- SD memory card
- 12 Creative Filters
- Self Portrait mode with 2 sec timer
- Built in flash
- Integrated Speedlite transmitter
- EF & EF-S
- LPE17 battery
- LCE17E Battery charger
- Battery Life 1630 (shots)
- ACE6 AC adapter
- Remote control
- 402g weight (body only)
- Aluminium alloy and polycarbonate resin with carbon and glass fiber
- Dual pixel CMOS
- Guided display



200DIIKIS with EFS18-55mm f/4-5.6 STM
200DIITKIS with EFS18-55mm f/4-5.6 STM & EFS 55-250mm – NARTA Exclusive

EOS 800D



- 24.2MP
- APS-C
- MAX ISO 25,600
- DiGiC 7
- AF point 45
- Cross type AF point 45
- Dual pixel CMOS AF
- 3" LCD screen
- 1,040,000 dots
- LCD screen resolution
- Vari-angle LCD
- Touch screen
- 6 fps
- 95% viewfinder coverage
- Version 1 Intelligent Viewfinder
- Full HD movies
- LPE17 battery
- 600 battery life (shots)
- Canon Camera Connect App
- Bluetooth
- GPS via app
- Microphone input
- 10 Creative Filters
- Time lapse movie mode
- Guided display
- Integrated Speedlite transmitter
- EF & EF-S
- 532g weight (body only)
- Aluminium alloy and polycarbonate resin with carbon and glass fiber



800DB body only, 800DKIS with EF-S 18-55 ST, 800DSK with EF-S 18-135 ST

EOS 850D



- 24.1MP
- APS-C
- MAX ISO 25,600
- DiGiC 8
- AF point 45
- Cross type AF point 45
- Dual pixel CMOS AF
- 3" LCD screen
- 1,040,000 dots
- LCD screen resolution
- Vari-angle LCD
- Touch screen
- 7 fps
- 95% viewfinder coverage
- Version 1 Intelligent Viewfinder
- Full HD movies
- 4K 30p
- LPE17 battery
- 1240 battery life (shots)
- Canon Camera Connect App
- Timelapse
- Bluetooth
- GPS via app
- Microphone input
- EF & EF-S
- 515g weight (body only)

Exclusive to:
JB HI-FI **Harvey Norman**

- 24.2MP
- APS-C
- MAX ISO 16,000
- DiGiC 6
- AF point 45
- Cross type AF point 45
- Dual pixel CMOS AF
- 3" LCD screen
- 1,040,000 dots
- LCD screen resolution
- Vari-angle LCD
- Touch screen
- 7 fps
- 100% viewfinder coverage
- Version 1 Intelligent Viewfinder
- Top LCD panel
- Full HD movies
- Full HD 60p
- LP-E6/LP-E6N battery
- 960 battery life (shots)
- Canon Camera Connect App
- GPS via app
- Microphone input
- Headphone output
- 5 Creative Filters

800B body only, 800KIS with EF-S 18-55 ST, 800SK with EF-S 18-135 USM

EOS 80D



- Time lapse movie mode
- Bulb timer mode
- Interval timer mode
- HDR mode
- Multiple exposure mode – Limited
- Integrated Speedlite transmitter
- EF & EF-S
- 730g weight (body only)
- Polycarbonate resin with carbon and glass fiber



- 32.5MP
- APS-C
- MAX ISO 25,600
- DiGiC 8
- AF point 45
- Cross type AF point 45
- Dual pixel CMOS AF
- 3" LCD screen
- 1,040,000 dots
- LCD screen resolution
- Vari-angle LCD
- Touch screen
- 11 fps continuous shooting
- 100% viewfinder coverage
- Version 1 Intelligent Viewfinder
- Top LCD panel
- 4K 30p movies, uncropped
- Full HD 120p
- LP-E6/LP-E6N battery
- 960 battery life (shots)
- Canon Camera Connect App
- GPS via app
- Microphone input

900B body only, 900KIS with EFS18-55ST lens, 900SK with EFS18-135USM lens, 900DB+5018STM with EF5018STM lens bundle, 900DKIS+5018STM with EFS18-55ST lens + EF5018ST lens bundle, 900SK+5018STM with EFS18-135USM lens + EF5018ST lens bundle

EOS 90D



- Headphone output
- Bulb timer mode
- Interval timer mode
- HDR mode
- Multiple exposure mode – Limited
- Integrated Speedlite transmitter
- EF & EF-S
- 701g weight (body only)

- 20.2MP
- APS-C
- MAX ISO 16,000
- Dual DiGiC 6
- AF point 65
- Cross type AF point 65
- Dual pixel CMOS AF
- 3" LCD screen
- 1,040,000 dots
- LCD screen resolution
- 10 fps
- 100% viewfinder coverage
- Version 2 Intelligent Viewfinder
- Top LCD panel
- Full HD movies
- Full HD 60p
- LP-E6/LP-E6N battery
- 670 battery life (shots)
- Canon Camera Connect App via W-E1 card
- GPS via app
- Microphone input

7DIIIB2 body only, 7DIISK2 with EF-S 18-135 USM

EOS 7D Mark II



- Headphone output
- Dual memory card slots
- Time lapse movie mode
- Interval timer mode
- HDR mode
- Multiple exposure mode
- Integrated Speedlite transmitter
- EF & EF-S
- 910g weight (body only)
- Magnesium alloy



- 26.2MP
- Full frame
- MAX ISO 40,000
- ISO expandable to 102400
- Metering Sensor 7560-pixel RGB+IR
- DiGiC 7
- AF point 45
- Cross type AF point 45
- Dual pixel CMOS AF
- 3" LCD screen
- 1,040,000 dots LCD screen resolution
- Vari-angle LCD
- Touch screen
- 6.5 fps
- Max burst (JPG) 110
- Max burst (RAW) 18
- Max shutter speed 1/4000
- 98% viewfinder coverage
- Top LCD panel
- Full HD movies
- Full HD 60p
- 4K Time lapse only
- Canon Camera Connect App

6DIIIB body only, 6DIIIPK with EF 24-105 IS STM, 6DIIADK with EF 24-7040 L IS

EOS 6D Mark II



- Wi-Fi/ NFC/ Bluetooth
- GPS
- Microphone input
- SD memory card
- Time lapse movie mode 4K
- Interval timer mode
- HDR mode
- Multiple exposure mode
- EF only
- 1290 battery life (shots)
- 765g weight (body only)
- Polycarbonate resin with carbon and glass fiber



EOS 5D Mark IV



- 30.4MP
- Full frame
- **MAX ISO 32,000**
- **DiGiC 6+**
- AF point 61
- Cross type AF point 41
- Dual pixel CMOS AF
- 3.2" LCD screen
- **1,620,000 dots LCD screen resolution**
- **Touch screen**
- **7 fps**
- 150,000 shutter cycles
- 100% viewfinder coverage
- Version 2 Intelligent Viewfinder
- Top LCD panel
- Full HD movies
- **Full HD 60p**
- **4K Movies**
- LP-E6/LP-E6N battery
- 900 battery life (shots)
- Canon Camera Connect App
- **GPS**
- Microphone input
- Headphone output
- Dual memory card slots
- Time lapse movie mode
- Bulb timer mode
- Interval timer mode
- HDR mode
- Multiple exposure mode
- EF only
- 890g weight (body only)
- Magnesium alloy

CameraAssist

5DIVB body only, 5DIVPK with EF 24-105 L IS II, 5DIVPROK with EF 24-70 L U II

EOS 5DS



- 50.6MP
- Full frame
- MAX ISO 6,400
- DiGiC 6
- AF point 61
- Cross type AF point 41
- 3.2" LCD screen
- 1,040,000 dots LCD screen resolution
- 5 fps
- 150,000 shutter cycles
- 100% viewfinder coverage
- Version 2 Intelligent Viewfinder
- Top LCD panel
- Full HD movies
- LP-E6/LP-E6N battery
- 700 battery life (shots)
- Canon Camera Connect App via W-E1 card
- GPS
- Microphone input
- Dual memory card slots
- Time lapse movie mode
- Bulb timer mode
- Interval timer mode
- HDR mode
- Multiple exposure mode
- EF only
- 845g weight (body only)
- Magnesium alloy

5DSB body only

EOS 5DSR



- 50.6MP
- Full frame
- MAX ISO 6400
- **Low Pass Filter Cancellation**
- DiGiC 6
- **AF point 61**
- Cross type AF point 41
- 3.2" LCD screen
- 1,040,000 dots LCD screen resolution
- 5 fps
- 150,000 shutter cycles
- 100% viewfinder coverage
- Version 2 Intelligent Viewfinder
- Top LCD panel
- Full HD movies
- LP-E6/LP-E6N battery
- 700 battery life (shots)
- Canon Camera Connect App via W-E1 card
- GPS
- Microphone input
- Dual memory card slots
- Time lapse movie mode
- Bulb timer mode
- Interval timer mode
- HDR mode
- Multiple exposure mode
- EF only
- 845g weight (body only)
- Magnesium alloy

5DSRB body only

EOS 1DX Mark III



- 20.1MP
- Full frame
- **MAX ISO 102,400**
- **DiGiC X**
- **AF point 191**
- **Cross type AF point 155**
- Dual pixel CMOS AF
- 3.15" LCD screen
- **2,100,000 dots LCD screen resolution**
- **Touch screen**
- **16 fps**
- 100% viewfinder coverage
- Version 2 Intelligent Viewfinder
- Top LCD panel
- **4K 60p movies, no crop**
- **Full HD 120p**
- **5.5K 60p RAW Movies**
- **Built in Wi-Fi**
- **Smart controller optical device**
- LP-E19 battery
- 2850 battery life (shots)
- Microphone input
- Headphone output
- Dual CF Express memory card slots
- EF only
- **1250g weight (body only)**
- Magnesium alloy
- Sold separately WFT-E9E Wireless Transmitter for 1DX Mark III
- 1DXMKIII(AU)BODY, 1DXMKIII(AU)CFEXPRESS

1DXIIIIBUNDLE

ACCESSORIES

Find the perfect accessory
for your camera.



DM-E1 Directional Stereo Microphone

- Switch recording in stereo with 90°/120° directional characteristics
- Compatible with a wide range of Canon DSLR and Mirrorless cameras



DM-E100 Stereo Microphone

- DM-E100 stereo microphone 3.5mm
- Simple and compact external microphone suitable for use on DSLR, Mirrorless and Compact cameras
- Perfect for vloggers



HG-100TBR Tripod Grip

- Tripod grip with BR-E1 bluetooth remote
- The vlogger tripod
- Removable bluetooth remote controller
- Detach the wireless remote control – zoom, autofocus and shutter of the camera from a distance



PZ-E1 Power Zoom Adapter

- A compact and lightweight accessory designed for the EF-S 18-135mm f/3.5-5.6 IS USM to enable smooth powered zooming for cinematic movies with the option to control via Wi-Fi



SPEEDLITES

The range of Canon Speedlites give you far more power and versatility with your flash photography than any built-in flash can offer. Most EX-series models feature bounce heads, wireless control and E-TTL II metering.

EL-100

- Guide no. 26
- Bounce and tilt
- Sender and receiver
- 24/50 flash coverage
- 2 x aa batteries
- 190g



600EXIIRT

- Guide no. 60
- Radio wave
- Zoom 20-200mm
- Master or slave
- Remote shooting
- Diffuser and gels
- Control groups



430EXII/430EXIIRT

- Guide no. 43
- 180° swivel head
- Built in catch light panel
- Fast recycling
- 4 x AA batteries
- 430EX IIR-RT supports optical and radio transmission for off-camera wireless flash shooting
- 430EX IIR-RT supports multi-camera sync shooting



MR-14EX II

- Ring flash
- Ideal for macro
- Dual flash tubes can be varied independently
- Colour temperature data transmitted
- Ratio control
- Auto metering
- Bright led modelling lights



470EX-AI-AI bounce

- Flash head with automatically move to the optimal position
- Guide no. 47
- Zoom 24-105mm
- Optical transmission (receiver only)
- 178x88 LCD panel
- High speed sync (FP)
- 4 x AA batteries



MT26EXRT

- Twin flash
- Ideal for macro
- Ratio control
- Fully adjustable
- Auto metering
- Focusing lights
- Custom functions



PRIME LENSES

Prime lenses have only one focal length. That means if you want to get closer to a subject, you've got to use your feet. While this may make primes less convenient than zoom lenses, primes are usually smaller, lighter, and faster. Prime lenses come in big when you need to shoot in low light.

SHORTCODE	MODEL	FILTER SIZE	LENS HOOD	LENS CAP	PORTRAIT	LANDSCAPE	MACRO	STREET	SPORT	WILDLIFE	STUDIO	FOOD	FASHION	ARCHITECTURE
EF1428LII	EF 14mm f/2.8L II USM	Rear Gel Holder	Built-in	E-14	•									
EF2028U	EF 20mm f/2.8 USM	72mm	EW-75II	E-72U	•									
EF2414LII	EF 24mm f/1.4L II USM	77mm	EW-83K	E-77U	•		•							
EF2828ISU	EF 24mm f/2.8 IS USM	58mm	EW-65B	E-58U	•		•							
EF2818U	EF 28mm f/1.8 USM	58mm	EW-63II	E-58U	•		•							
EF2428ISU	EF 28mm f/2.8 IS USM	58mm	EW-65B	E-58U	•		•							
EF3514LII	EF 35mm f/1.4L II USM	72mm	EW-77B	E-72II	•		•				•	•	•	
EF3520ISU	EF 35mm f/2.0 IS USM	67mm	EW-72	E-67II	•		•							
EF4028ST	EF 40mm f/2.8 STM	52mm	ES-52	E-67	•		•							
EF5012LU	EF 50mm f/1.2L USM	72mm	ES-78	E-72U	•		•				•		•	
EF5014U	EF 50mm f/1.4 USM	58mm	ES-71II	E-58U	•		•				•		•	
EF5018ST	EF 50mm f/1.8 STM	49mm	ES-68	E-49	•		•				•		•	
EF8512LII	EF 85mm f/1.2L II USM	72mm	ES-79II	E-72U	•		•				•		•	
EF8518U	EF 85mm f/1.8 USM	58mm	ET-65III	E-58U	•		•				•		•	
EF10020U	EF 100mm f/2 USM	58mm	ET-65III	E-58U	•						•		•	
EF13520L	EF 135mm f/2L USM	72mm	ET-78II	E-72U	•						•		•	
EF20020LIS	EF 200mm f/2L IS USM	52mm Drop-in	ET-120B	E-145B	•				•	•			•	
EF20028LII	EF 200mm f/2.8L II USM	72mm	ET-83BII	E-72U	•				•	•			•	
EF30028LISII	EF300mm f/2.8L IS II USM	52mm Drop-in	ET-120 WII	E-145C					•	•				
EF30040LIS	EF 300mm f/4L IS USM	77mm	Built-in	E-77U					•	•				
EF40028LISII	EF 400mm f/2.8L IS II USM	52mm Drop-in	ET-155 WII	E-180D					•	•				
EF400DOISII	EF 400mm f/4 DO IS II USM	52mm Drop-in	ET-120 WII	E-145C					•	•				
EF40056LU	EF 400mm f/5.6L USM	77mm	Built-in	E-77U					•	•				
EF50040LISII	EF 500mm f/4L IS II USM	52mm Drop-in	ET-138WII	E-163B					•	•				
EF60040LISII	EF 600mm f/4L IS II USM	52mm Drop-in	ET-160WII	E-185B					•	•				
EF80056LIS	EF 800mm f/5.6L IS USM	52mm Drop-in	ET-155	E-180C					•	•				
EF40028LISIII	EF400mm f/2.8 L IS III USM	52mm Drop-in	ET-155(WIII)	E-180E					•	•				
EF60040LISIII	EF 600mm f/4L IS III USM	52mm Drop-in	ET-160(WIII)	E-185E					•	•				

ZOOM LENSES

Zoom lenses offers the photographer a useful range of different focal lengths in a single lens. A zoom lens allows for quick and easy re-framing of a scene while staying in the same physical position.

EF8-15L	EF 8-15mm f/4L Fisheye USM	N/A	EW-77	E-8-15	•									
EF11-24L	EF 11-24mm f/4L USM	Rear Drop-in	Built-in	E1124	•									
EF16-35LIS	EF 16-35mm f/4L IS USM	77mm	EW-82	E-77II	•									
EF16-35LII	EF 16-35mm f/2.8L USM II	82mm	EW-88	E-82U	•									
EF16-35LIII	EF 16-35mm f/2.8L USM III	82mm	EW-88D	E-82II	•									
EF17-40L	EF 17-40mm f/4L USM	77mm	EW-83E	E-77U	•									
EF24-70LIU	EF 24-70mm f/2.8L II USM	82mm	EW-88C	E-82II	•		•				•	•	•	
EF24-7040LISU	EF 24-70mm f/4L IS USM	77mm	EW-83L	E-77II	•		•				•	•	•	
EF24-105LIS	EF 24-105mm f/4L USM	77mm	EW-83H	E-77U	•		•				•	•	•	
EF24-105LISII	EF 24-105mm f/4L IS USM	77mm	EW-83M	E-77II	•		•				•	•	•	
EF24-105ISST	EF24-105mm f/3.5-5.6IS STM	77mm	EW-83M	E-77U/E77II	•		•				•	•	•	
EF28-300IS	EF 28-300mm f/3.5-5.6L IS USM	77mm	EW-83G	E-52U	•	•			•	•	•	•	•	
EF70-200ISII	EF 70-200mm f/2.8L IS II USM	77mm	ET-87	E-77U	•				•	•	•	•	•	
EF70-200LU	EF 70-200mm f/2.8L USM	77mm	ET-83II	E-77U	•				•	•	•	•	•	
EF70-20040L	EF 70-200mm f/4L USM	67mm	ET-74	E-67U	•				•	•	•	•	•	
EF70-20040LIS	EF 70-200mm f/4L IS USM	67mm	ET-74	E-67U	•				•	•	•	•	•	
EF70-300ISII	EF 70-300mm f/4-5.6 IS II USM	67mm	ET-74B	E-67II	•				•	•	•	•	•	
EF70-300LISU	EF 70-300mm f/4-5.6L IS USM	67mm	ET-73B	E-67U	•				•	•	•	•	•	
EF75-300	EF 75-300mm f/4-5.6 III	58mm	ET-60	E-58					•	•				
EF100-400LISII	EF 100-400mm f/4.5-5.6L IS II USM	77mm	ET-83D	E-77II	•				•	•			•	
EF200-400EXT14	EF200-400mm f/4L IS USM with Ext 1.4x	52mm Drop-in	ET-120(WII)	E-145C					•	•				

– Restricted range lenses – Not available to Distribution or Mass merchants

SHORTCODE	MODEL	FILTER SIZE	LENS HOOD	LENS CAP	PORTRAIT	LANDSCAPE	MACRO	STREET	SPORT	WILDLIFE	STUDIO	FOOD	FASHION	ARCHITECTURE
-----------	-------	-------------	-----------	----------	----------	-----------	-------	--------	-------	----------	--------	------	---------	--------------

MACRO LENSES

Macro lenses optically optimized to handle extremely close focusing distances and can take sharp, highly detailed images of microscopic subjects.

EF10028U	EF 100mm f/2.8 Macro USM	58mm	ET-67	E-58U	•	•			•	•				
EF10028LIS	EF 100mm f/2.8L Macro IS USM	67mm	ET-73	E67U	•	•			•	•				
EF18035L	EF 180mm f/3.5L Macro USM	72mm	ET-78II	E-72U	•	•			•	•				
MPE6528	MP-E 65mm f/2.8 1-5x	58mm	NA	E-58U	•	•			•	•				

EF-S LENSES FOR EOS DSLR CAMERAS

EFS10-18ISST	EF-S 10-18mm f/4.5-5.6 IS STM	67mm	EW-73C	E-67II	•									
EFS10-22U	EF-S 10-22mm f/4.5-5.6	77mm	EW-83E	E-77U	•									
EFS15-85IS	EF-S 15-85mm f/3.5-5.6 IS USM	72mm	EW-78E	E72U	•		•				•			
EFS17-55IS	EF-S 17-55mm f/2.8 IS USM	77mm	EW-83J	E-77U	•		•	•			•	•		
EFS18-55ST	EF-S 18-55mm f/3.5-5.6 IS STM	58mm	EW-63C	E-58II	•		•							
EFS18-55ST2	EF-S 18-55mm f/4-5.6 IS STM	58mm	EW-63C	E-58II	•		•							
EFS18-55III	EF-S 18-55mm f/3.5-5.6 III USM	58mm	EW-60C	E-58U	•		•							
EFS18-135ISST	EF-S 18-135mm f/3.5-5.6 IS STM	67mm	EW-73B	E-67	•		•	•						
EFS18-135ISU	EF-S18-135mm f/3.5-5.6 IS USM	67mm	EW-73D	E-67II	•		•	•						
EFS18-200IS	EF-S 18-200mm f/3.5-5.6 IS	72mm	EW-78D	E-72	•		•	•						
EFS2428ST	EF-S 24mm f/2.8 STM	52mm	ES-52	ES52II	•		•				•			
EFS55-250ISST	EF-S 55-250mm f/4-5.6 IS STM	58mm	ET-63	E-58II	•			•	•					
EFS35M	EF-S 35mm f/2.8 Macro IS STM Macro Lite	49mm	ES-27	EFS35	•	•	•				•			
EFS60MU	EF-S 60mm f/2.8 Macro USM	52mm	ET-67B	E-52U	•	•	•				•			

EF-M LENSES FOR EOS M MIRRORLESS CAMERAS

EFM11-22ISST	EF-M 11-22mm f/4-5.6 IS STM	55mm	EW60E	Lens Cap E55		•								
EFM15-45ISST	EF-M 15-45ISST f/3.5-6.3 IS STM	49mm	EW-53	Lens Cap E-49	•			•						
EFM18-55ISST	EF-M 18-55mm f/3.5-5.6 IS STM	52mm	EW-54	Lens Cap E-52II	•			•						
EFM18-150ST	EF-M 18-150mm f/3.5-6.3 IS STM	55mm	EW-60F	E-55	•			•	•	•				
EFM28MU	EF-M 28mm f/3.5 Macro IS STM	43mm	ES-22	EF-M28	•		•	•			•			
EFM2220ST	EF-M 22mm f/2 STM	43mm	EW-43	Lens Cap E43	•			•						
EFM55-200ISST	EF-M 55-200mm f/4.5-6.3 IS STM	52mm	EW-54B	Lens Cap E-52 II	•				•	•				
EFM3214ST	EF-M 32mm f/1.4 STM	43mm	ES-60	E-43	•			•			•			

TILT SHIFT LENSES

TS17	TS-E 17mm f/4.0L	82mm	N/A	E17	•	•	•							•
TS24II	TS-E 24mm f/3.5L	72mm	EW-75BII	E-82II	•	•	•							•
TS5028LM	TS-E 50mm f/2.8L Macro	77mm	ES-84	E-77II	•		•	•						
TS9028LM	TS-E 90mm f/2.8L Macro	77mm	ES-84	E-77II	•		•	•						
TS13540LM	TS-E 135mm f/4L Macro	82mm	ET-88	E-82II		•	•							

SHORTCODE	MODEL	FILTER SIZE	LENS HOOD	LENS CAP	PORTRAIT	LANDSCAPE	MACRO	STREET	SPORT	WILDLIFE	STUDIO	FOOD	FASHION	ARCHITECTURE
-----------	-------	-------------	-----------	----------	----------	-----------	-------	--------	-------	----------	--------	------	---------	--------------

MACRO LENSES (CONTINUED)

RF LENSES FOR EOS R MIRRORLESS CAMERAS

RF15-3528LIS	RF 15-35mm f/2.8L IS USM	82mm	EW-88F	E-82II		•		•						•
RF24-7028LIS	RF 24-70mm f/2.8L IS USM	82mm	EW-88E	E-82II	•	•		•			•	•	•	•
RF24-105ISSTM	RF 24-105mm f/4-7.1 IS STM	67mm	EW-73D	E-67II	•	•		•	•	•	•	•	•	•
RF24-105LIS	RF 24-105mm f/4L IS USM	77mm	EW-83N	E-77II	•	•		•	•	•	•	•	•	•
RF24-240IS	RF 24-240mm f/2.8 IS USM	72mm	EW-78F	E-72II	•	•		•	•	•	•	•	•	•
RF28-7020L	RF 28-70mm f/2L USM	95mm	EW-103	E-95	•						•			
RF3518ST	RF 35mm f/2.8 IS USM Macro	52mm	EW-52	E-52II	•		•	•					•	
RF5012L	RF 50mm f/1.2L USM	77mm	ES-83	E-77II	•						•		•	
RF70-20028LIS	RF 70-200MM f/2.8L IS USM	77mm	ET-83FWIII	E-77II	•			•	•	•	•		•	
RF8512L	RF 85mm f/1.2L USM	82mm	ET-89	E-82II	•						•		•	
RF8512LDS	RF 85mm f/1.2L DS USM	82mm	ET-89	E-82II	•						•		•	
RF8520ISM	RF 85mm f/2 IS STM Macro	67mm	ET-77	E-67II	•		•						•	
RF100-500LIS	RF 100-500mm f/4.5-7.1 L IS USM	77mm	ET-83F	E-77II	•				•	•			•	
RF600ISSTM	RF 600mm f/11 IS STM	82mm	ET-88B	E-82II					•	•				
RF800ISSTM	RF 800mm f/11 IS STM	95mm	ET-101	E-95					•	•				

EXTENDERS

EF14XIII	Extender EF 1.4x III			Extender Cap E II										
EF2XIII	Extender EF 2.0x III			Extender Cap E II										
RF14X	Extender RF 1.4x			EXTENDERCAPRF										
RF2X	Extender RF 2x			EXTENDERCAPRF										

DIGITAL VIDEO

Shoot films and capture moving memories with a camcorder from the range of video cameras. From professionals shooting weddings, or news gatherers, to budding videographers wanting to capture a doco.



- 1" 4K UHD 25p CMOS sensor
- 15x Optical zoom
- Dual Pixel AF, Contrast AF
- Touch tracking autofocus
- Continuous AF in horizontal and vertical range
- Built in 3 density ND filter
- 9 Blade Circular Aperture
- Over Sampling HD processing
- 5 axis Image Stabiliser
- 25.5mm- 382.5mm f/2.8-4.5
- 4:2:0 8bit (internal), 4:2:2 10bit (SDI/ HDMI output) in FHD
- MP4 (AAC 2ch/LPCM, 4ch) /XF-AVC
- 0.24 inch CVF
- 3 inch LCD touch monitor
- Dual SD card slot
- Mic and XLR terminal (Input 1 and 2)
- Battery BP-820/828

TWIN SD



XA50

HFR806



- 3.28MP Full HD CMOS sensor
- Full HD video system
- DiGiC DV4 processor
- 32x optical zoom
- 57x advanced zoom
- Zoom Framing Assist
- Intelligent IS
- Baby mode
- Lock function
- Slow motion/fast motion
- Full HD recording
- HD video lens
- 1080/50p recording in AVCHD and MP4 modes
- BP-727 battery

SD ONLY

- Lens ring, XLR x 2, SDI (3G)
- 1 inch 4K UHD 25p CMOS sensor
- 15x Optical zoom
- Dual Pixel AF, Contrast AF
- Touch tracking autofocus
- Continuous AF in horizontal and vertical range
- Built in 3 density ND filter
- 9 Blade
- Circular Aperture
- Over Sampling HD processing
- 5 axis Image Stabiliser
- 25.5mm- 382.5mm f/2.8-4.5
- 4:2:0 8bit (internal), 4:2:2 10bit (SDI/HDMI output) in FHD MP4 (AAC 2ch/LPCM, 4ch) /XF-AVC
- 0.24 inch CVF
- 3 inch LCD touch monitor
- Dual SD card slot
- Battery BP-820/828
- SDI Terminal

TWIN SD



XA55

HFG50



- Slow/fast motion recording for 4K and FHD
- 1/2.3 inch 4K UHD CMOS Sensor
- 8 blade circular aperture
- 3 inch LCD touch panel
- Manual control lens ring
- 20x optical zoom
- MP4 recording
- 5 axis image stabilization
- DIGIC DV 6
- Over Sampling HD processing
- 29.3mm – 601mm
- 0.24 inch EVF
- 2 card slots
- Detachable handle

SD ONLY

- Versatile, Compact 4K ENG Camcorder
- 4K UHD/ 50P / FHD 100P high frame rate recording to SD cards
- Independent Built-in 3 density ND filter
- High- quality 4K 15x zoom lens
- Dual pixel CMOS AF
- for high-speed, precise autofocus
- 1.0inch Type CMOS sensor
- XF-AVC, MP4, H.264 IP streaming at 1080i50/60 using a compatible decoder
- Manual and Auto control
- Dual DiGiC DV6 Image processor
- 15x Optical zoom
- Aperture range f/2.8-f/11 (AC Priority and Manual Modes)
- Touch AF with face detection AF
- 1150g Camera Only
- 1670g (fully equipped)
- 150x216 x267mm (WxHxD)
- SDI Terminal (XF405 Only)

TWIN SD



XF400 / XF405

XA40



- 1/2.3-inch 4K UHD 25p CMOS sensor
- Slow and fast motion recording
- Over Sampling HD processing
- 29.3mm wide angle
- 8 blade circular aperture
- 20x optical zoom
- Twin SD card slots
- DIGIC DV 6
- 5 axis Image Stabiliser
- 3 inch LCD touch monitor
- 0.24 inch EVF
- MP4 and Simultaneous recording
- XLR terminal (Input 1 and 2)
- Headphone, Mic, HDMI, USB and remote terminal
- Manual control ring (for zoom and focus)
- Detachable handle
- Battery BP-828

TWIN SD

- 4KUHD 59.94p/50.00p 4:2:2 10bit recording
- FHD 120P/100P
- 1.0 CMOS sensor
- Dual GIGIC DV6 processors
- XF-HEVC with Hybrid Log Gamma(HLG)
- Perceptual Quantization (PQ) with custom picture (CP) preset/gamma settings
- 15x optical zoom lens (35mm film equivalent: 25.5mm- 382.5mm)
- 30x advanced zoom in full HD mode
- Dual pixel AF
- Built-in 3-density ND filter
- Touch AF and face detect AF
- BP-A30 battery
- 2,660g
- 191x210x383mm (WxHxD)
- Wi-Fi
- Ethernet terminal
- GENLOCK/SYNC OUT
- Time code

TWIN SD



XF705

BINOCULARS

From traveling and birdwatching, to sailing or sports, no matter your passion you'll always see more vivid detail up close with your choice of premium binoculars that utilises Canon's state-of-the-art Image stabilizer technology.

1232IS – 12 x 32 IS S



- 12x magnification
 - Minimum distance viewing at 2m
 - 32mm objective diameter
 - Optical image stabiliser function
 - Double field flattener
 - Super spectra multi-coating
 - Apparent field of view 55.3°
 - Eye relief 14.5mm
 - Porro II type prism
 - 780g weight
- SPORTS SPECTATOR OUTDOORS BIRDWATCHING WATERPROOF IMAGE STABILIZER

1432IS – 14 x 32 IS



- 14x magnification
 - 32mm objective diameter
 - Optical image stabiliser function
 - Double field flattener
 - Super spectra multi-coating
 - Apparent field of view 55.5°
 - Eye relief 14.5mm
 - Porro prism II
 - 775g weight
- SPORTS SPECTATOR OUTDOORS BIRDWATCHING WATERPROOF IMAGE STABILIZER

1236ISII – 12 x 36 IS III



- 12x magnification
 - 36mm objective diameter
 - Optical image stabiliser function
 - Double field flattener
 - Super spectra multi-coating
 - Relative brightness 9 rating
 - Apparent field of view 60°
 - Eye relief 14.5mm
 - Porro prism
 - 660g weight
- SPORTS SPECTATOR OUTDOORS BIRDWATCHING HUNTING WATER RESISTANT

1550IS – 15 x 50 IS



- 15x magnification
 - 50mm objective diameter
 - Optical image stabiliser function
 - Double field flattener
 - Super spectra multi-coating
 - Relative brightness 10.9 Rating
 - Apparent field of view 67°
 - Eye relief 15mm
 - Porro prism II
 - UD lens
 - Rubber coating protection
 - Water resistance
 - 1200g weight
- MARINE ASTRONOMY WATER RESISTANT

1850IS – 18 x 50 IS



- 18x magnification
 - 25mm objective diameter
 - Optical image stabiliser function
 - Double field flattener
 - Super spectra multi-coating
 - Relative brightness 7.8 rating
 - Apparent field of view 67°
 - Eye relief 15 mm
 - Porro prism II
 - UD lens
 - Rubber coating protection
 - Water resistance
 - 1200g weight
- MARINE ASTRONOMY WATER RESISTANT IMAGE STABILIZER

- 8x magnification
 - 20mm objective diameter
 - Optical image stabiliser function
 - Field flattener element
 - Super spectra coating
 - Real field of view 6.6°
 - Apparent field of view 49.5°
 - Eye relief 13.5mm
 - Canon's Lightest Binoculars With Image Stabilisation
 - Porro prism I
 - 420g weight
- BIRDWATCHING SPORTS SPECTATOR OUTDOORS

0820IS – 8 x 20 IS



- 10x magnification
 - 20mm objective diameter
 - Optical image stabiliser function
 - Field flattener element
 - Super spectra coating
 - Apparent field of view 49.5°
 - Eye relief 13.5mm
 - Porro prism I
 - 430g weight
- BIRDWATCHING SPORTS SPECTATOR OUTDOORS

1020IS – 10 x 20 IS



- 10x magnification
 - 30mm objective diameter
 - Optical image stabiliser function
 - Double field flattener
 - Super spectra multi-coating
 - Relative brightness 9 rating
 - Apparent field of view 60°
 - Eye relief 14.5mm
 - 600g weight
- SPORTS SPECTATOR OUTDOORS BIRDWATCHING HUNTING WATER RESISTANT

1030ISII – 10 x 30 IS II



- 10x magnification
 - Minimum distance viewing at 2m
 - 32mm objective diameter
 - Optical image stabiliser function
 - Double field flattener
 - Super spectra multi-coating
 - Apparent field of view 55.3°
 - Eye relief 14.5mm
 - 780g weight
- SPORTS SPECTATOR OUTDOORS BIRDWATCHING WATER RESISTANT IMAGE STABILIZER

1032IS – 10 x 32 IS



- 10x magnification
 - 42mm objective diameter
 - 'L' series professional quality glass lens
 - Optical image stabiliser function
 - Double field flattener
 - Super spectra multi-coating
 - Relative brightness 17.6 rating
 - Apparent field of view 65°
 - Eye relief 16mm
 - Porro prism II
 - UD lens
 - Rubber coating protection
 - Fully water resistance
 - 1030g weight
- MARINE ASTRONOMY IMAGE STABILIZER WATERPROOF COATED GLASS

1042IS – 10 x 42 L IS



CALCULATORS

Make numbers easy with Canon's wide range of calculators that deliver on all your home, educational, tax and business needs. With users in mind, our design is the integration of simplicity, style and functionality.

LS153TS



- 10 digit large LCD display
- Protective wallet
- Tax function
- Business function to easily calculate (cost, sell, margin)
- Dual power (solar and battery)
- Size 122 x 75 x 12mm

LS100TS



- 10 digit display
- Tax function
- Business function to easily calculate (cost, sell, Margin)
- Dual power (solar and battery)
- Size 135 x 106 x 32mm

LS123K



- 12 digit large LCD Display
- Tax function
- Dual power (solar and battery)
- Choice of four vivid metallic colours
- Some parts made from recycled Canon material
- Size 145 x 104 x 25mm

Available in: ● Orange ● Green ● Pink ● Blue

F717SGA



- **Board of Studies approved**
- Choice of three fun colours
- Dual power (Solar and battery)
- Easy to read display format
- Options for personalisation
- 242 functions
- Dual-way textbook display
- Some parts made from recycled Canon material,
- Extra benefits applicable to schools when book listed

Available in: ● Red ● Blue

P23-DTSC



- Portable printing calculator
- 12 digit
- Tax function
- **Calendar and clock display**
- Batteries included
- Optional adapter available AD35II
- Business sales calculation
- **Low battery indicator**
- Rubber keypads
- Two colour print
- **Professional image with silver metallic body**
- Size 237 x 155 x 55mm

P29DIV



- 12 digit heavy duty printing calculator
- Fluorescent Display
- AC mains power source
- Two colour printout
- Currency conversion
- 3.6 lines/sec print speed
- Size: 300 x 207 x 76mm

Canon

canon.com.au